


CCNB1 & PLK1 Protein Protein Interaction Antibody Pair

Catalog # DI0033 Size 1 Set

Applications



Representative image of Proximity Ligation Assay of protein-protein interactions between CCNB1 and PLK1. Mahlavu cells were stained with anti-CCNB1 rabbit purified polyclonal antibody 1:1200 and anti-PLK1 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.

Specification

Product Description	This protein protein interaction antibody pair set comes with two antibodies to detect the protein-protein interaction, one against the CCNB1 protein, and the other against the PLK1 protein for use in in situ Proximity Ligation Assay . See Publication Reference below .
Reactivity	Human
Quality Control Testing	Protein protein interaction immunofluorescence result. Representative image of Proximity Ligation Assay of protein-protein interactions between CCNB1 and PLK1. Mahlavu cells were stained with anti-CCNB1 rabbit purified polyclonal antibody 1:1200 and anti-PLK1 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.
Supplied Product	Antibody pair set content: 1. CCNB1 rabbit purified polyclonal antibody (100 ug) 2. PLK1 mouse monoclonal antibody (40 ug) *Reagents are sufficient for at least 30-50 assays using recommended protocols.
Storage Instruction	Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

Applications

- *In situ* Proximity Ligation Assay (Cell)

Gene Info — CCNB1

Entrez GenelD	891
Gene Name	CCNB1
Gene Alias	CCNB
Gene Description	cyclin B1
Omim ID	123836
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a regulatory protein involved in mitosis. The gene product complexes with p34(cdc2) to form the maturation-promoting factor (MPF). Two alternative transcripts have been found, a constitutively expressed transcript and a cell cycle-regulated transcript, that is expressed predominantly during G2/M phase. The different transcripts result from the use of alternate transcription initiation sites. [provided by RefSeq]
Other Designations	G2/mitotic-specific cyclin B1

Gene Info — PLK1

Entrez GenelD	5347
Gene Name	PLK1
Gene Alias	PLK, STPK13
Gene Description	polo-like kinase 1 (Drosophila)
Omim ID	602098
Gene Ontology	Hyperlink
Other Designations	cell cycle regulated protein kinase polo (Drosophila)-like kinase polo like kinase polo-like kinase

Pathway

- [Cell cycle](#)
- [Cell cycle](#)
- [p53 signaling pathway](#)

Disease

- [Adenocarcinoma](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Esophageal Neoplasms](#)
- [Genetic Predisposition to Disease](#)
- [Genetic Predisposition to Disease](#)
- [Head and Neck Neoplasms](#)
- [Lung Neoplasms](#)
- [Neoplasm Recurrence](#)
- [Neoplasms](#)
- [Ovarian Neoplasms](#)
- [Ovarian Neoplasms](#)
- [Pulmonary Disease](#)
- [Urinary Bladder Neoplasms](#)
- [Werner syndrome](#)