
CRK & MAPK8 Protein Protein Interaction Antibody Pair

Catalog # DI0309 Size 1 Set

Applications



Representative image of Proximity Ligation Assay of protein-protein interactions between CRK and MAPK8. HeLa cells were stained with anti-CRK rabbit purified polyclonal antibody 1:1200 and anti-MAPK8 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.

Specification	
Product Description	This protein protein interaction antibody pair set comes with two antibodies to detect the protein-prot ein interaction, one against the CRK protein, and the other against the MAPK8 protein for use in <u>in sinual tu Proximity Ligation Assay</u> . <u>See Publication Reference below</u> .
Reactivity	Human
Quality Control Testing	Protein protein interaction immunofluorescence result. Representative image of Proximity Ligation Assay of protein-protein interactions between CRK and MAPK8. HeLa cells were stained with anti-CRK rabbit purified polyclonal antibody 1:1200 and anti- MAPK8 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein i nteraction complex. The images were analyzed using an optimized freeware (BlobFinder) download f rom The Centre for Image Analysis at Uppsala University.
Supplied Product	Antibody pair set content: 1. CRK rabbit purified polyclonal antibody (100 ug) 2. MAPK8 mouse monoclonal antibody (40 ug) *Reagents are sufficient for at least 30-50 assays using recommended protocols.
Storage Instruction	Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze tha w cycle. Reagents should be returned to -20°C storage immediately after use.

Applications

Copyright © 2023 Abnova Corporation. All Rights Reserved.

• In situ Proximity Ligation Assay (Cell)

Gene Info — CRK	
Entrez GenelD	<u>1398</u>
Gene Name	CRK
Gene Alias	CRKII
Gene Description	v-crk sarcoma virus CT10 oncogene homolog (avian)
Omim ID	<u>164762</u>
Gene Ontology	Hyperlink
Gene Summary	This gene encodes a member of an adapter protein family that binds to several tyrosine-phosphor ylated proteins. The product of this gene has several SH2 and SH3 domains (src-homology doma ins) and is involved in several signaling pathways, recruiting cytoplasmic proteins in the vicinity of t yrosine kinase through SH2-phosphotyrosine interaction. The N-terminal SH2 domain of this prote in functions as a positive regulator of transformation whereas the C-terminal SH3 domain function s as a negative regulator of transformation. Two alternative transcripts encoding different isoforms with distinct biological activity have been described. [provided by RefSeq
Other Designations	avian sarcoma virus CT10 (v-crk) oncogene homolog v-crk avian sarcoma virus CT10 oncogene homolog v-crk sarcoma virus CT10 oncogene homolog

Gene Info — MAPK8		
Entrez GenelD	5599	
Gene Name	MAPK8	
Gene Alias	JNK, JNK1, JNK1A2, JNK21B1/2, PRKM8, SAPK1	
Gene Description	mitogen-activated protein kinase 8	
Omim ID	<u>601158</u>	
Gene Ontology	Hyperlink	



Product Information

Gene Summary	The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular pro cesses such as proliferation, differentiation, transcription regulation and development. This kinase is activated by various cell stimuli, and targets specific transcription factors, and thus mediates im mediate-early gene expression in response to cell stimuli. The activation of this kinase by tumor-n ecrosis factor alpha (TNF-alpha) is found to be required for TNF-alpha induced apoptosis. This ki nase is also involved in UV radiation induced apoptosis, which is thought to be related to cytochro m c-mediated cell death pathway. Studies of the mouse counterpart of this gene suggested that th is kinase play a key role in T cell proliferation, apoptosis and differentiation. Four alternatively spli ced transcript variants encoding distinct isoforms have been reported. [provided by RefSeq
Other Designations	JNK1 alpha protein kinase JNK1 beta protein kinase JUN N-terminal kinase OTTHUMP0000001 9552 OTTHUMP00000019555 OTTHUMP00000019556 OTTHUMP00000019558 c-Jun N-termi nal kinase 1 mitogen-activated protein kinase 8 isoform JNK1 alpha1 mitogen-activated protein

Pathway

- Adipocytokine signaling pathway
- <u>Chemokine signaling pathway</u>
- <u>Chronic myeloid leukemia</u>
- <u>Colorectal cancer</u>
- Epithelial cell signaling in Helicobacter pylori infection
- ErbB signaling pathway
- ErbB signaling pathway
- <u>Fc epsilon RI signaling pathway</u>
- Fc gamma R-mediated phagocytosis
- Focal adhesion
- Focal adhesion
- GnRH signaling pathway
- Insulin signaling pathway
- Insulin signaling pathway
- MAPK signaling pathway
- MAPK signaling pathway



Neurotrophin signaling pathway

Product Information

- Neurotrophin signaling pathway
- Pancreatic cancer
- Pathways in cancer
- Pathways in cancer
- <u>Regulation of actin cytoskeleton</u>
- Renal cell carcinoma
- <u>Toll-like receptor signaling pathway</u>
- Type II diabetes mellitus
- Wnt signaling pathway

Disease

- Breast cancer
- Breast Neoplasms
- <u>Cardiovascular Diseases</u>
- Diabetes Mellitus
- Edema
- Genetic Predisposition to Disease
- HIV Infections