MAPKAPK5 & MAPK9 Protein Protein Interaction Antibody Pair

Catalog # DI0373 Size 1 Set

Applications



Representative image of Proximity Ligation Assay of protein-protein interactions between MAPKAPK5 and MAPK9. HeLa cells were stained with anti-MAPKAPK5 rabbit purified polyclonal antibody 1:1200 and anti-MAPK9 mouse monoclonal antibody 1:50. Each red dot represents the detection of proteinprotein interaction complex. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.

Specification	
Product Description	This protein protein interaction antibody pair set comes with two antibodies to detect the protein-prot ein interaction, one against the MAPKAPK5 protein, and the other against the MAPK9 protein for us e in <i>in situ</i> Proximity Ligation Assay. See Publication Reference below.
Reactivity	Human
Quality Control Testing	Protein protein interaction immunofluorescence result. Representative image of Proximity Ligation Assay of protein-protein interactions between MAPKAP K5 and MAPK9. HeLa cells were stained with anti-MAPKAPK5 rabbit purified polyclonal antibody 1: 1200 and anti-MAPK9 mouse monoclonal antibody 1:50. Each red dot represents the detection of pr otein-protein interaction complex. The images were analyzed using an optimized freeware (BlobFind er) download from The Centre for Image Analysis at Uppsala University.
Supplied Product	Antibody pair set content: 1. MAPKAPK5 rabbit purified polyclonal antibody (100 ug) 2. MAPK9 mouse monoclonal antibody (40 ug) *Reagents are sufficient for at least 30-50 assays using recommended protocols.
Storage Instruction	Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze tha w cycle. Reagents should be returned to -20°C storage immediately after use.

Applications

Copyright © 2023 Abnova Corporation. All Rights Reserved.

• In situ Proximity Ligation Assay (Cell)

Gene Info — MAPK9	
Entrez GenelD	<u>5601</u>
Gene Name	MAPK9
Gene Alias	JNK-55, JNK2, JNK2A, JNK2ALPHA, JNK2B, JNK2BETA, PRKM9, SAPK, p54a, p54aSAPK
Gene Description	mitogen-activated protein kinase 9
Omim ID	<u>602896</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular pro cesses such as proliferation, differentiation, transcription regulation and development. This kinase targets specific transcription factors, and thus mediates immediate-early gene expression in resp onse to various cell stimuli. It is most closely related to MAPK8, both of which are involved in UV r adiation induced apoptosis, thought to be related to the cytochrome c-mediated cell death pathwa y. This gene and MAPK8 are also known as c-Jun N-terminal kinases. This kinase blocks the ubiq uitination of tumor suppressor p53, and thus it increases the stability of p53 in nonstressed cells. Studies of this gene's mouse counterpart suggest a key role in T-cell differentiation. Several altern atively spliced transcript variants encoding distinct isoforms have been reported. [provided by Ref Seq
Other Designations	Jun kinase MAP kinase 9 c-Jun N-terminal kinase 2 c-Jun kinase 2 mitogen-activated protein kina se 9 isoform JNK2 alpha2 stress-activated protein kinase JNK2

Gene Info — MAPKAPK5		
Entrez GenelD	8550	
Gene Name	MAPKAPK5	
Gene Alias	PRAK	
Gene Description	mitogen-activated protein kinase-activated protein kinase 5	
Omim ID	<u>606723</u>	
Gene Ontology	Hyperlink	



Product Information

Gene Summary

The protein encoded by this gene is a member of the serine/threonine kinase family. In response t o cellular stress and proinflammatory cytokines, this kinase is activated through its phosphorylatio n by MAP kinases including MAPK1/ERK, MAPK14/p38-alpha, and MAPK11/p38-beta. In vitro, t his kinase phosphorylates heat shock protein HSP27 at its physiologically relevant sites. Two alte rnately spliced transcript variants of this gene encoding distinct isoforms have been reported. [pro vided by RefSeq

Other Designations

p38-regulated/activated protein kinase

Pathway

- Adipocytokine signaling pathway
- Colorectal cancer
- Epithelial cell signaling in Helicobacter pylori infection
- ErbB signaling pathway
- Fc epsilon RI signaling pathway
- Focal adhesion
- GnRH signaling pathway
- Insulin signaling pathway
- <u>MAPK signaling pathway</u>
- MAPK signaling pathway
- <u>Neurotrophin signaling pathway</u>
- Pancreatic cancer
- Pathways in cancer
- <u>T cell receptor signaling pathway</u>
- <u>Toll-like receptor signaling pathway</u>
- <u>Type II diabetes mellitus</u>
- Wnt signaling pathway

Disease

😵 Abnova

Product Information

- Breast cancer
- Breast Neoplasms
- Genetic Predisposition to Disease
- HIV Infections
- Tobacco Use Disorder