


# STAT1 & PDGFRB Protein Protein Interaction Antibody Pair

Catalog # DI0396 Size 1 Set

## Applications



Representative image of Proximity Ligation Assay of protein-protein interactions between STAT1 and PDGFRB. Mahlavu cells were stained with anti-STAT1 rabbit purified polyclonal antibody 1:1200 and anti-PDGFRB mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.

## Specification

<b>Product Description</b>	This protein protein interaction antibody pair set comes with two antibodies to detect the protein-protein interaction, one against the STAT1 protein, and the other against the PDGFRB protein for use in <a href="#">in situ Proximity Ligation Assay</a> . See Publication Reference below.
<b>Reactivity</b>	Human
<b>Quality Control Testing</b>	Protein protein interaction immunofluorescence result. Representative image of Proximity Ligation Assay of protein-protein interactions between STAT1 and PDGFRB. Mahlavu cells were stained with anti-STAT1 rabbit purified polyclonal antibody 1:1200 and anti-PDGFRB mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.
<b>Supplied Product</b>	Antibody pair set content: 1. STAT1 rabbit purified polyclonal antibody (100 ug) 2. PDGFRB mouse monoclonal antibody (40 ug) *Reagents are sufficient for at least 30-50 assays using recommended protocols.
<b>Storage Instruction</b>	Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

## Applications

- *In situ* Proximity Ligation Assay (Cell)

## Gene Info — PDGFRB

Entrez GeneID	<a href="#">5159</a>
Gene Name	PDGFRB
Gene Alias	CD140B, JTK12, PDGF-R-beta, PDGFR, PDGFR1
Gene Description	platelet-derived growth factor receptor, beta polypeptide
Omim ID	<a href="#">131440 173410</a>
Gene Ontology	<a href="#">Hyperlink</a>
Gene Summary	This gene encodes a cell surface tyrosine kinase receptor for members of the platelet-derived growth factor family. These growth factors are mitogens for cells of mesenchymal origin. The identity of the growth factor bound to a receptor monomer determines whether the functional receptor is a homodimer or a heterodimer, composed of both platelet-derived growth factor receptor alpha and beta polypeptides. This gene is flanked on chromosome 5 by the genes for granulocyte-macrophage colony-stimulating factor and macrophage-colony stimulating factor receptor; all three genes may be implicated in the 5-q syndrome. A translocation between chromosomes 5 and 12, that fuses this gene to that of the translocation, ETV6, leukemia gene, results in chronic myeloproliferative disorder with eosinophilia. [provided by RefSeq]
Other Designations	beta platelet-derived growth factor receptor platelet-derived growth factor receptor beta soluble PDGFRb variant 1

## Gene Info — STAT1

Entrez GeneID	<a href="#">6772</a>
Gene Name	STAT1
Gene Alias	DKFZp686B04100, ISGF-3, STAT91
Gene Description	signal transducer and activator of transcription 1, 91kDa
Omim ID	<a href="#">209950 600555</a>
Gene Ontology	<a href="#">Hyperlink</a>

**Gene Summary**

The protein encoded by this gene is a member of the STAT protein family. In response to cytokines and growth factors, STAT family members are phosphorylated by the receptor associated kinases, and then form homo- or heterodimers that translocate to the cell nucleus where they act as transcription activators. This protein can be activated by various ligands including interferon-alpha, interferon-gamma, EGF, PDGF and IL6. This protein mediates the expression of a variety of genes, which is thought to be important for cell viability in response to different cell stimuli and pathogens. Two alternatively spliced transcript variants encoding distinct isoforms have been described. [provided by RefSeq]

**Other Designations**

OTTHUOMP00000165047|signal transducer and activator of transcription 1|signal transducer and activator of transcription-1|transcription factor ISGF-3 components p91/p84

**Pathway**

- [Calcium signaling pathway](#)
- [Chemokine signaling pathway](#)
- [Colorectal cancer](#)
- [Cytokine-cytokine receptor interaction](#)
- [Focal adhesion](#)
- [Gap junction](#)
- [Glioma](#)
- [Jak-STAT signaling pathway](#)
- [MAPK signaling pathway](#)
- [Melanoma](#)
- [Pancreatic cancer](#)
- [Pathways in cancer](#)
- [Pathways in cancer](#)
- [Prostate cancer](#)
- [Regulation of actin cytoskeleton](#)
- [Toll-like receptor signaling pathway](#)

**Disease**

- [Acute Disease](#)
- [Adenocarcinoma](#)
- [Alzheimer disease](#)
- [Arthritis](#)
- [Asthma](#)
- [Birth Weight](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Bronchiolitis](#)
- [Campylobacter Infections](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Cardiovascular Diseases](#)
- [Chronic Disease](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Diabetes Mellitus](#)
- [Disease Models](#)
- [Disease Progression](#)
- [Disease Susceptibility](#)
- [Edema](#)
- [Edema](#)
- [Esophageal Neoplasms](#)
- [Genetic Predisposition to Disease](#)
- [Genetic Predisposition to Disease](#)

- [Glioblastoma](#)
- [Glioma](#)
  
- [Glomerulonephritis](#)
  
- [Hepatitis B](#)
  
- [Hepatitis C](#)
  
- [Hyperparathyroidism](#)
  
- [Hypersensitivity](#)
  
- [Infant](#)
  
- [Kidney Failure](#)
  
- [Leukemia](#)
  
- [Leukemia](#)
  
- [Liver Cirrhosis](#)
  
- [Liver Neoplasms](#)
  
- [Lung Neoplasms](#)
  
- [Lupus Erythematosus](#)
  
- [Lymphoma](#)
  
- [Meningeal Neoplasms](#)
  
- [Meningioma](#)
  
- [Metabolic Syndrome X](#)
  
- [Multiple Sclerosis](#)
  
- [Neoplasms](#)
  
- [Neutropenia](#)
  
- [Osteoporosis](#)
  
- [Osteoporosis](#)
  
- [Ovarian Neoplasms](#)
  
- [Ovarian Neoplasms](#)
  
- [Papillomavirus Infections](#)

- [Proteinuria](#)
- [Pulmonary Disease](#)
- [Respiratory Syncytial Virus Infections](#)
- [Salmonella Infections](#)
- [Schizophrenia](#)
- [Subdural Effusion](#)
- [Thrombocytopenia](#)
- [Thyroid Neoplasms](#)
- [Tobacco Use Disorder](#)
- [Tuberculosis](#)
- [Urinary Bladder Neoplasms](#)
- [Uterine Cervical Neoplasms](#)
- [Viremia](#)
- [Werner syndrome](#)