
BAD & MAPK8 Protein Protein Interaction Antibody Pair

Catalog # DI0446 Size 1 Set

Applications



Representative image of Proximity Ligation Assay of protein-protein interactions between BAD and MAPK8. Mahlavu cells were stained with anti-BAD rabbit purified polyclonal antibody 1:1200 and anti-MAPK8 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.

Specification	
Product Description	This protein protein interaction antibody pair set comes with two antibodies to detect the protein-prot ein interaction, one against the BAD protein, and the other against the MAPK8 protein for use in <u>in si</u> <u>tu Proximity Ligation Assay</u> . <u>See Publication Reference below</u> .
Reactivity	Human
Quality Control Testing	Protein protein interaction immunofluorescence result. Representative image of Proximity Ligation Assay of protein-protein interactions between BAD and MAPK8. Mahlavu cells were stained with anti-BAD rabbit purified polyclonal antibody 1:1200 and ant i-MAPK8 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.
Supplied Product	Antibody pair set content: 1. BAD rabbit purified polyclonal antibody (100 ug) 2. MAPK8 mouse monoclonal antibody (40 ug) *Reagents are sufficient for at least 30-50 assays using recommended protocols.
Storage Instruction	Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze tha w cycle. Reagents should be returned to -20°C storage immediately after use.

Applications

Copyright © 2023 Abnova Corporation. All Rights Reserved.

• In situ Proximity Ligation Assay (Cell)

Gene Info — BAD	
Entrez GenelD	<u>572</u>
Gene Name	BAD
Gene Alias	BBC2, BCL2L8
Gene Description	BCL2-associated agonist of cell death
Omim ID	<u>603167</u>
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a member of the BCL-2 family. BCL-2 family members are k nown to be regulators of programmed cell death. This protein positively regulates cell apoptosis b y forming heterodimers with BCL-xL and BCL-2, and reversing their death repressor activity. Proa poptotic activity of this protein is regulated through its phosphorylation. Protein kinases AKT and MAP kinase, as well as protein phosphatase calcineurin were found to be involved in the regulation n of this protein. Alternative splicing of this gene results in two transcript variants which encode the same isoform. [provided by RefSeq
Other Designations	BCL-X/BCL-2 binding protein BCL2-antagonist of cell death protein BCL2-binding component 6 BCL2-binding protein

Gene Info — MAPK8		
Entrez GenelD	<u>5599</u>	
Gene Name	MAPK8	
Gene Alias	JNK, JNK1, JNK1A2, JNK21B1/2, PRKM8, SAPK1	
Gene Description	mitogen-activated protein kinase 8	
Omim ID	<u>601158</u>	
Gene Ontology	Hyperlink	



Product Information

Gene Summary	The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular pro cesses such as proliferation, differentiation, transcription regulation and development. This kinase is activated by various cell stimuli, and targets specific transcription factors, and thus mediates im mediate-early gene expression in response to cell stimuli. The activation of this kinase by tumor-n ecrosis factor alpha (TNF-alpha) is found to be required for TNF-alpha induced apoptosis. This ki nase is also involved in UV radiation induced apoptosis, which is thought to be related to cytochro m c-mediated cell death pathway. Studies of the mouse counterpart of this gene suggested that th is kinase play a key role in T cell proliferation, apoptosis and differentiation. Four alternatively spli ced transcript variants encoding distinct isoforms have been reported. [provided by RefSeq
Other Designations	JNK1 alpha protein kinase JNK1 beta protein kinase JUN N-terminal kinase OTTHUMP0000001 9552 OTTHUMP00000019555 OTTHUMP00000019556 OTTHUMP00000019558 c-Jun N-termi nal kinase 1 mitogen-activated protein kinase 8 isoform JNK1 alpha1 mitogen-activated protein

Pathway

- <u>Acute myeloid leukemia</u>
- Adipocytokine signaling pathway
- <u>Amyotrophic lateral sclerosis (ALS)</u>
- Apoptosis
- <u>Chronic myeloid leukemia</u>
- Colorectal cancer
- <u>Colorectal cancer</u>
- Endometrial cancer
- Epithelial cell signaling in Helicobacter pylori infection
- ErbB signaling pathway
- ErbB signaling pathway
- Fc epsilon RI signaling pathway
- Focal adhesion
- Focal adhesion
- GnRH signaling pathway
- Insulin signaling pathway



Insulin signaling pathway

Product Information

- MAPK signaling pathway
- <u>Melanoma</u>
- Neurotrophin signaling pathway
- Neurotrophin signaling pathway
- Non-small cell lung cancer
- Pancreatic cancer
- Pancreatic cancer
- Pathways in cancer
- Pathways in cancer
- Prostate cancer
- Toll-like receptor signaling pathway
- Type II diabetes mellitus
- VEGF signaling pathway
- Wnt signaling pathway

Disease

- Breast cancer
- Breast Neoplasms
- <u>Cardiovascular Diseases</u>
- <u>Cardiovascular Diseases</u>
- Diabetes Mellitus
- Diabetes Mellitus
- Edema
- Edema
- Genetic Predisposition to Disease

🗑 Abnova

- Genetic Predisposition to Disease
- HIV Infections
- Lymphoma
- Parkinson disease
- Thyroid Neoplasms