


# CRK & RET Protein Protein Interaction Antibody Pair

Catalog # DI0447 Size 1 Set

## Applications



Representative image of Proximity Ligation Assay of protein-protein interactions between CRK and RET. HeLa cells were stained with anti-CRK rabbit purified polyclonal antibody 1:1200 and anti-RET mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.

## Specification

|                                |  |
|--------------------------------|--|
| <b>Product Description</b>     | This protein protein interaction antibody pair set comes with two antibodies to detect the protein-protein interaction, one against the CRK protein, and the other against the RET protein for use in <a href="#"><i>in situ</i> Proximity Ligation Assay</a> . See Publication Reference below.   |
| <b>Reactivity</b>              | Human  |
| <b>Quality Control Testing</b> | Protein protein interaction immunofluorescence result.<br>Representative image of Proximity Ligation Assay of protein-protein interactions between CRK and RET. HeLa cells were stained with anti-CRK rabbit purified polyclonal antibody 1:1200 and anti-RET mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University. |
| <b>Supplied Product</b>        | Antibody pair set content:<br>1. CRK rabbit purified polyclonal antibody (100 ug)<br>2. RET mouse monoclonal antibody (40 ug)<br>*Reagents are sufficient for at least 30-50 assays using recommended protocols.   |
| <b>Storage Instruction</b>     | Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.   |

## Applications

- *In situ* Proximity Ligation Assay (Cell)

## Gene Info — CRK

|                    |   |
|--------------------|---|
| Entrez GeneID      | <a href="#">1398</a>  |
| Gene Name          | CRK   |
| Gene Alias         | CRKII   |
| Gene Description   | v-crk sarcoma virus CT10 oncogene homolog (avian)   |
| Omim ID            | <a href="#">164762</a>  |
| Gene Ontology      | <a href="#">Hyperlink</a>   |
| Gene Summary       | This gene encodes a member of an adapter protein family that binds to several tyrosine-phosphorylated proteins. The product of this gene has several SH2 and SH3 domains (src-homology domains) and is involved in several signaling pathways, recruiting cytoplasmic proteins in the vicinity of tyrosine kinase through SH2-phosphotyrosine interaction. The N-terminal SH2 domain of this protein functions as a positive regulator of transformation whereas the C-terminal SH3 domain functions as a negative regulator of transformation. Two alternative transcripts encoding different isoforms with distinct biological activity have been described. [provided by RefSeq] |
| Other Designations | avian sarcoma virus CT10 (v-crk) oncogene homolog v-crk avian sarcoma virus CT10 oncogene homolog v-crk sarcoma virus CT10 oncogene homolog   |

## Gene Info — RET

|                  |  |
|------------------|--|
| Entrez GeneID    | <a href="#">5979</a>   |
| Gene Name        | RET  |
| Gene Alias       | CDHF12, HSCR1, MEN2A, MEN2B, MTC1, PTC, RET-ELE1, RET51  |
| Gene Description | ret proto-oncogene   |
| Omim ID          | <a href="#">142623</a> <a href="#">155240</a> <a href="#">162300</a> <a href="#">164761</a> <a href="#">171300</a> <a href="#">171400</a> <a href="#">209880</a> |
| Gene Ontology    | <a href="#">Hyperlink</a>  |

**Gene Summary**

This gene, a member of the cadherin superfamily, encodes one of the receptor tyrosine kinases, which are cell-surface molecules that transduce signals for cell growth and differentiation. This gene plays a crucial role in neural crest development, and it can undergo oncogenic activation in vivo and in vitro by cytogenetic rearrangement. Mutations in this gene are associated with the disorders multiple endocrine neoplasia, type IIA, multiple endocrine neoplasia, type IIB, Hirschsprung disease, and medullary thyroid carcinoma. Two transcript variants encoding different isoforms have been found for this gene. Additional transcript variants have been described but their biological validity has not been confirmed. [provided by RefSeq]

**Other Designations**

RET transforming sequence|cadherin family member 12|hydroxaryl-protein kinase|oncogene RET|receptor tyrosine kinase|ret proto-oncogene (multiple endocrine neoplasia and medullary thyroid carcinoma 1, Hirschsprung disease)

**Pathway**

- [Chemokine signaling pathway](#)
- [Chronic myeloid leukemia](#)
- [Endocytosis](#)
- [ErbB signaling pathway](#)
- [Fc gamma R-mediated phagocytosis](#)
- [Focal adhesion](#)
- [Insulin signaling pathway](#)
- [MAPK signaling pathway](#)
- [Neurotrophin signaling pathway](#)
- [Pathways in cancer](#)
- [Pathways in cancer](#)
- [Regulation of actin cytoskeleton](#)
- [Renal cell carcinoma](#)
- [Thyroid cancer](#)

**Disease**

- [Adenocarcinoma](#)

- [Adenoma](#)
- [Adrenal Gland Neoplasms](#)
- [Alzheimer Disease](#)
- [Atherosclerosis](#)
- [Carcinoma](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Digestive System Abnormalities](#)
- [Disease Progression](#)
- [Down Syndrome](#)
- [Endocrine Gland Neoplasms](#)
- [Esophageal Neoplasms](#)
- [Genetic Predisposition to Disease](#)
- [Glomus Tumor](#)
- [Hashimoto Disease](#)
- [Head and Neck Neoplasms](#)
- [Hippel-Lindau Disease](#)
- [Hirschsprung Disease](#)
- [Hydronephrosis](#)
- [Hyperplasia](#)
- [Hypertension](#)
- [Intestinal Diseases](#)
- [Kidney Diseases](#)
- [Lung Neoplasms](#)
- [Lymphatic Metastasis](#)
- [Macular Degeneration](#)

- [Multiple endocrine neoplasia](#)
- [Multiple Endocrine Neoplasia Type 2a](#)
- [Multiple Endocrine Neoplasia Type 2b](#)
- [Necrosis](#)
- [Neoplasm Metastasis](#)
- [Neoplasm Recurrence](#)
- [Neoplasms](#)
- [Neurofibromatosis](#)
- [Nondisjunction](#)
- [Pancreatic cancer](#)
- [Pancreatic Neoplasms](#)
- [Paraganglioma](#)
- [Parkinson disease](#)
- [Pheochromocytoma](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Pulmonary Disease](#)
- [Recurrence](#)
- [Schizophrenia](#)
- [Sleep Apnea](#)
- [Sudden Infant Death](#)
- [Syndrome](#)
- [Taste](#)
- [Thyroid Diseases](#)
- [Thyroid Neoplasms](#)

- [Tobacco Use Disorder](#)
- [Urea Cycle Disorders](#)
- [Urinary Bladder Neoplasms](#)
- [Urogenital Abnormalities](#)
- [Vesico-Ureteral Reflux](#)
- [Vitamin A Deficiency](#)
- [von Hippel-Lindau Disease](#)
- [Von Hippel-Lindau syndrome](#)
- [Werner syndrome](#)