


# IKBKG(phospho S31) & IKBKG Protein Phosphorylation Antibody Pair

Catalog # DP0040      Size 1 Set

## Applications



Representative image of Proximity Ligation Assay of protein phosphorylation. HeLa cells were stained with dual recognition antibody pair set, rabbit polyclonal antibody 1:1200 and mouse monoclonal antibody 1:50. Each red dot represents one single phosphorylated protein. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.

## Specification

### Product Description

This protein phosphorylation antibody pair set comes with two antibodies, one against the IKBKG protein, and the other against the specific S31 phosphorylated site of IKBKG for use in [in situ Proximity Ligation Assay](#). [See Publication Reference below](#).

### Reactivity

Human

### Quality Control Testing

Dual recognition immunofluorescence result.  
Representative image of Proximity Ligation Assay of protein phosphorylation. HeLa cells were stained with dual recognition antibody pair set, rabbit polyclonal antibody 1:1200 and mouse monoclonal antibody 1:50. Each red dot represents one single phosphorylated protein. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.

### Supplied Product

Antibody pair set content:  
1. Phospho-IKBKG S31 rabbit polyclonal antibody (20 ul)  
With 0.09% sodium azide.  
2. IKBKG mouse monoclonal antibody (40 ug)  
In 1x PBS, pH 7.2  
\*Reagents are sufficient for at least 30-50 assays using recommended protocols.

### Storage Instruction

Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

## Applications

- *In situ* Proximity Ligation Assay (Cell)

## Gene Info — IKBKG

Entrez GeneID	<a href="#">8517</a>
Gene Name	IKBKG
Gene Alias	AMCBX1, FIP-3, FIP3, Fip3p, IKK-gamma, IP, IP1, IP2, IPD2, NEMO
Gene Description	inhibitor of kappa light polypeptide gene enhancer in B-cells, kinase gamma
Omim ID	<a href="#">300248</a> <a href="#">300291</a> <a href="#">300301</a> <a href="#">300584</a> <a href="#">300636</a> <a href="#">308300</a>
Gene Ontology	<a href="#">Hyperlink</a>
Gene Summary	This gene encodes the regulatory subunit of the inhibitor of kappaB kinase (IKK) complex, which activates NF-kappaB resulting in activation of genes involved in inflammation, immunity, cell survival, and other pathways. Mutations in this gene result in incontinentia pigmenti, hypohidrotic ectodermal dysplasia, and several other types of immunodeficiencies. Multiple transcript variants encoding different isoforms have been found for this gene. A pseudogene highly similar to this locus is located in an adjacent region of the X chromosome. [supplied by RefSeq]
Other Designations	NFkappaB essential modulator OTTHUMP00000026027 OTTHUMP00000026028 OTTHUMP0000026029 incontinentia pigmenti

## Pathway

- [Acute myeloid leukemia](#)
- [Adipocytokine signaling pathway](#)
- [Apoptosis](#)
- [B cell receptor signaling pathway](#)
- [Chemokine signaling pathway](#)
- [Chronic myeloid leukemia](#)
- [Epithelial cell signaling in Helicobacter pylori infection](#)
- [MAPK signaling pathway](#)

- [Pancreatic cancer](#)
- [Pathways in cancer](#)
- [Primary immunodeficiency](#)
- [Prostate cancer](#)
- [Small cell lung cancer](#)
- [T cell receptor signaling pathway](#)
- [Toll-like receptor signaling pathway](#)

## Disease

- [Atherosclerosis](#)
- [Calcinosis](#)
- [Coronary Artery Disease](#)
- [Disease Progression](#)
- [Disease Susceptibility](#)
- [HIV Infections](#)