PRKCD(phospho S645) & PRKCD Protein Phosphorylation Antibody Pair

Catalog # DP0231 Size 1 Set

Applications



Representative image of Proximity Ligation Assay of protein phosphorylation. HeLa cells were stained with dual recognition antibody pair set, rabbit polyclonal antibody 1:1200 and mouse monoclonal antibody 1:50. Each red dot represents one single phosphorylated protein. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.

Specification	
Product Description	This protein phosphorylation antibody pair set comes with two antibodies, one against the PRKCD p rotein, and the other against the specific S645 phosphorylated site of PRKCD for use in <u>in situ Proximity Ligation Assay</u> . See Publication Reference below.
Reactivity	Human
Quality Control Testing	Dual recognition immunofluorescence result. Representative image of Proximity Ligation Assay of protein phosphorylation. HeLa cells were staine d with dual recognition antibody pair set, rabbit polyclonal antibody 1:1200 and mouse monoclonal a ntibody 1:50. Each red dot represents one single phosphorylated protein. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.
Supplied Product	Antibody pair set content: 1. Phospho-PRKCD S645 rabbit polyclonal antibody (20 ul) In PBS, 150 mM NaCI, pH 7.4 (0.02% sodium azide, 50% glycerol) 2. PRKCD mouse monoclonal antibody (40 ug) In 1x PBS, pH 7.2 *Reagents are sufficient for at least 30-50 assays using recommended protocols.
Storage Instruction	Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze tha w cycle. Reagents should be returned to -20°C storage immediately after use.

Applications

• In situ Proximity Ligation Assay (Cell)

Gene Info — PRKCD	
Entrez GenelD	<u>5580</u>
Gene Name	PRKCD
Gene Alias	MAY1, MGC49908, PKCD, nPKC-delta
Gene Description	protein kinase C, delta
Omim ID	<u>176977</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	Protein kinase C (PKC) is a family of serine- and threonine-specific protein kinases that can be a ctivated by calcium and the second messenger diacylglycerol. PKC family members phosphorylat e a wide variety of protein targets and are known to be involved in diverse cellular signaling pathw ays. PKC family members also serve as major receptors for phorbol esters, a class of tumor pro moters. Each member of the PKC family has a specific expression profile and is believed to play distinct roles in cells. The protein encoded by this gene is one of the PKC family members. Studie s both in human and mice demonstrate that this kinase is involved in B cell signaling and in the re gulation of growth, apoptosis, and differentiation of a variety of cell types. Alternatively spliced tran script variants encoding the same protein have been observed. [provided by RefSeq
Other Designations	protein kinase C delta VIII

Pathway

- Chemokine signaling pathway
- Fc epsilon RI signaling pathway
- Fc gamma R-mediated phagocytosis
- GnRH signaling pathway
- <u>Neurotrophin signaling pathway</u>
- Tight junction
- Type II diabetes mellitus



<u>Vascular smooth muscle contraction</u>

Disease

- Cardiovascular Diseases
- Diabetes Mellitus
- Edema
- Genetic Predisposition to Disease
- Tobacco Use Disorder