

CSTA FISH Probe

Catalog # FA0106 Size 200 uL

Specification	
Product Description	Made to order FISH probes for identification of gene amplification using Fluorescent In Situ Hybridiz ation Technique. (Technology).
Origin	Human
Source	Genomic DNA
Reactivity	Human
Notice	We strongly recommend the customer to use FFPE FISH PreTreatment Kit 1 (Catalog #: KA2375 or KA2691) for the pretreatment of Formalin-Fixed Paraffin-Embedded (FFPE) tissue sections.
Regulation Status	For research use only (RUO)
Supplied Product	DAPI Counterstain (1500 ng/mL) 250 uL
Storage Instruction	Store at 4°C in the dark.

Applications

• Fluorescent In Situ Hybridization (Cell)

Protocol Download

Gene Info — CSTA		
Entrez GenelD	<u>1475</u>	
Gene Name	CSTA	
Gene Alias	STF1, STFA	
Gene Description	cystatin A (stefin A)	



Product Information

Omim ID	<u>184600</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	The cystatin superfamily encompasses proteins that contain multiple cystatin-like sequences. So me of the members are active cysteine protease inhibitors, while others have lost or perhaps nev er acquired this inhibitory activity. There are three inhibitory families in the superfamily, including the type 1 cystatins (stefins), type 2 cystatins, and kininogens. This gene encodes a stefin that functions as a cysteine protease inhibitor, forming tight complexes with papain and the cathepsins B, H, and L. The protein is one of the precursor proteins of cornified cell envelope in keratinocytes and plays a role in epidermal development and maintenance. Stefins have been proposed as prognostic and diagnostic tools for cancer. [provided by RefSeq
Other Designations	cystatin A cystatin AS stefin A

Disease

- Genetic Predisposition to Disease
- Psoriasis