

# EPHA2(Texas Red)/CEN1p(FITC) FISH Probe

Catalog # FA0483      Size 200 uL

## Specification

<b>Product Description</b>	Made to order FISH probes for identification of gene amplification using Fluorescent In Situ Hybridization Technique. ( <a href="#">Technology</a> ).
<b>Origin</b>	Human
<b>Source</b>	Genomic DNA
<b>Reactivity</b>	Human
<b>Notice</b>	We <b>strongly recommend</b> the customer to use FFPE FISH PreTreatment Kit 1 (Catalog #: <a href="#">KA2375</a> or <a href="#">KA2691</a> ) for the pretreatment of Formalin-Fixed Paraffin-Embedded (FFPE) tissue sections.
<b>Regulation Status</b>	For research use only (RUO)
<b>Supplied Product</b>	DAPI Counterstain (1500 ng/mL ) 250 uL
<b>Storage Instruction</b>	Store at 4°C in the dark.

## Applications

- Fluorescent In Situ Hybridization (Cell)

[Protocol Download](#)

## Gene Info — EPHA2

<b>Entrez GeneID</b>	<a href="#">1969</a>
<b>Gene Name</b>	EPHA2
<b>Gene Alias</b>	ECK
<b>Gene Description</b>	EPH receptor A2

Omim ID [176946](#)

Gene Ontology [Hyperlink](#)

**Gene Summary**

This gene belongs to the ephrin receptor subfamily of the protein-tyrosine kinase family. EPH and EPH-related receptors have been implicated in mediating developmental events, particularly in the nervous system. Receptors in the EPH subfamily typically have a single kinase domain and an extracellular region containing a Cys-rich domain and 2 fibronectin type III repeats. The ephrin receptors are divided into 2 groups based on the similarity of their extracellular domain sequences and their affinities for binding ephrin-A and ephrin-B ligands. This gene encodes a protein that binds ephrin-A ligands. [provided by RefSeq]

**Other Designations**

ephrin receptor EphA2|epithelial cell receptor protein tyrosine kinase|protein tyrosine kinase|receptor protein tyrosine kinase regulated by p53 and E2F-1|soluble EPHA2 variant 1

## Pathway

- [Axon guidance](#)

## Disease

- [Cataract](#)
- [Genetic Predisposition to Disease](#)
- [Hearing Loss](#)