

BIRC3/MALT1,DY Translocation FISH Probe

Catalog # FA0633 Size 200 uL

Specification

Product Description	Made to order FISH probes for identification of gene amplification using Fluorescent In Situ Hybridization Technique. (Technology).
Origin	Human
Source	Genomic DNA
Reactivity	Human
Notice	We strongly recommend the customer to use FFPE FISH PreTreatment Kit 1 (Catalog #: KA2375 or KA2691) for the pretreatment of Formalin-Fixed Paraffin-Embedded (FFPE) tissue sections.
Regulation Status	For research use only (RUO)
Supplied Product	DAPI Counterstain (150 ng/mL) 250 uL
Storage Instruction	Store at 4°C in the dark.

Applications

- Fluorescent In Situ Hybridization (Cell)

[Protocol Download](#)

Gene Info — BIRC3

Entrez GeneID	330
Gene Name	BIRC3
Gene Alias	AIP1, API2, CIAP2, HAIP1, HIAP1, MALT2, MIHC, RNF49
Gene Description	baculoviral IAP repeat-containing 3

Omim ID	601721
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a member of a family of proteins that inhibits apoptosis by binding to tumor necrosis factor receptor-associated factors TRAF1 and TRAF2, probably by interfering with activation of ICE-like proteases. The encoded protein inhibits apoptosis induced by serum deprivation but does not affect apoptosis resulting from exposure to menadione, a potent inducer of free radicals. The amino acid sequence predicts three baculovirus IAP repeat domains and a ring finger domain. Transcript variants encoding the same isoform have been identified. [provided by RefSeq]
Other Designations	TNFR2-TRAF signaling complex protein apoptosis inhibitor 2 baculoviral IAP repeat-containing protein 3 inhibitor of apoptosis protein 1 mammalian IAP homolog C

Gene Info — MALT1

Entrez GeneID	10892
Gene Name	MALT1
Gene Alias	DKFZp434L132, MLT, MLT1
Gene Description	mucosa associated lymphoid tissue lymphoma translocation gene 1
Omim ID	604860
Gene Ontology	Hyperlink
Gene Summary	This gene has been found to be recurrently rearranged in chromosomal translocation with two other genes - baculoviral IAP repeat-containing protein 3 (also known as apoptosis inhibitor 2) and immunoglobulin heavy chain locus - in mucosa-associated lymphoid tissue lymphomas. The protein encoded by this gene may play a role in NF-kappaB activation. Two alternatively spliced transcript variants encoding different isoforms have been described for this gene. [provided by RefSeq]
Other Designations	MALT associated translocation MALT-lymphoma associated translocation caspase-like protein mucosa associated lymphoid tissue lymphoma translocation protein 1 paracaspase

Pathway

- [Apoptosis](#)
- [B cell receptor signaling pathway](#)
- [Focal adhesion](#)
- [Pathways in cancer](#)

- [Small cell lung cancer](#)
- [T cell receptor signaling pathway](#)
- [Ubiquitin mediated proteolysis](#)

Disease

- [Adenocarcinoma](#)
- [Cardiovascular Diseases](#)
- [Diabetes Mellitus](#)
- [Ductus Arteriosus](#)
- [Edema](#)
- [Esophageal Neoplasms](#)
- [Gastritis](#)
- [Genetic Predisposition to Disease](#)
- [Genetic Predisposition to Disease](#)
- [Helicobacter Infections](#)
- [Infant](#)
- [Lung Neoplasms](#)
- [Lymphoma](#)
- [Pulmonary Disease](#)
- [Stomach Neoplasms](#)
- [Urinary Bladder Neoplasms](#)
- [Werner syndrome](#)