


## 19p Subtelomere(FITC) FISH Probe

Catalog # FE0166 Size 20 uL

## **Applications**



Fluorescent *In Situ* Hybridization (Formalin/PFA-fixed paraffin-embedded sections)

human renal cell carcinoma (FFPE) stained with 19p subtelomere . human renal cell carcinoma showed no BRCA2 amplification.

Hybridization position of the probes on the chromosome:

Hybridization position of the probes on the chromosome:

Specification	
Product Description	Labeled FISH probes for identification of subtelomere aberrations using Fluorescent In Situ Hybridiz ation Technique. (Technology).
Probe	Name: 19p Subtelomere Size: Approximately 300kb Fluorophore: FITC Location: 19p Subtelomere
Origin	Human
Source	Genomic DNA
Reactivity	Human



## **Product Information**

Notice	We <b>strongly recommend</b> the customer to use FFPE FISH PreTreatment Kit 1 (Catalog #: <u>KA2375</u> or <u>KA2691</u> ) for the pretreatment of Formalin-Fixed Paraffin-Embedded (FFPE) tissue sections.
Regulation Status	For research use only (RUO)
Recommend Usage	The probe is provided in 5x concentrated format, to allow mixing of up to 5 Subtelomere FISH Probe s in a single hybridization assay. When used alone, it should be diluted to 1x with FISH Hybridization Buffer (Cat # <u>U0028</u> or <u>U0029</u> ) before use.
Supplied Product	FISH Hybridization Buffer (80 uL)
Storage Instruction	Store at 4°C in the dark.
Note	Hybridization position of the probes on the chromosome: Hybridization position of the probes on the chromosome:

## **Applications**

• Fluorescent In Situ Hybridization (Cell)

Protocol Download

• Fluorescent In Situ Hybridization (Formalin/PFA-fixed paraffin-embedded sections)

human renal cell carcinoma (FFPE) stained with 19p subtelomere . human renal cell carcinoma showed no BRCA2 amplification.

**Protocol Download**