


NTRK1/CEN1p FISH Probe

Catalog # FG0202 Size 200 uL, 100 uL

Applications



Hybridization position of the probes on the chromosome.

Hybridization position of the probes on the chromosome.

Specification

Product Description	Labeled FISH probes for identification of gene amplification using Fluorescent In Situ Hybridization Technique. (Technology).
Probe 1	Name: NTRK1 Size: Approximately 340kb Fluorophore: TexRed Location: 1q23.1
Probe 2	Name: CEN1p Size: Approximately 780kb Fluorophore: FITC Location: 1q13.3
Origin	Human

Source	Genomic DNA
Reactivity	Human
Form	Liquid
Notice	We strongly recommend the customer to use FFPE FISH PreTreatment Kit 1 (Catalog #: KA2375 or KA2691) for the pretreatment of Formalin-Fixed Paraffin-Embedded (FFPE) tissue sections.
Regulation Status	For research use only (RUO)
Quality Control Testing	Representative images of normal human cell (lymphocyte) stain with the dual color FISH probe. The left image is chromosomes at metaphase, and the right image is an interphase nucleus.
Supplied Product	DAPI Counterstain (1500 ng/mL) 125 uL for each 100 uL FISH Probe
Storage Instruction	Store at 4°C in the dark.
Note	Hybridization position of the probes on the chromosome. Hybridization position of the probes on the chromosome.

Applications

- Fluorescent In Situ Hybridization (Cell)

[Protocol Download](#)

Gene Info — NTRK1

Entrez GeneID	4914
Gene Name	NTRK1
Gene Alias	DKFZp781114186, MTC, TRK, TRK1, TRKA, p140-TrkA
Gene Description	neurotrophic tyrosine kinase, receptor, type 1
Omim ID	155240 191315 256800
Gene Ontology	Hyperlink

Gene Summary

This gene encodes a member of the neurotrophic tyrosine kinase receptor (NTRK) family. This kinase is a membrane-bound receptor that, upon neurotrophin binding, phosphorylates itself and members of the MAPK pathway. The presence of this kinase leads to cell differentiation and may play a role in specifying sensory neuron subtypes. Mutations in this gene have been associated with congenital insensitivity to pain, anhidrosis, self-mutilating behavior, mental retardation and cancer. Alternate transcriptional splice variants of this gene have been found, but only three have been characterized to date. [provided by RefSeq]

Other Designations

OTTHUMP00000038736|Oncogene TRK|high affinity nerve growth factor receptor|tyrosine kinase receptor A

Pathway

- [Apoptosis](#)
- [Endocytosis](#)
- [MAPK signaling pathway](#)
- [Neurotrophin signaling pathway](#)
- [Pathways in cancer](#)
- [Thyroid cancer](#)

Disease

- [Alzheimer disease](#)
- [Asperger Syndrome](#)
- [Autistic Disorder](#)
- [Cardiovascular Diseases](#)
- [Diabetes Mellitus](#)
- [Disease Models](#)
- [Eating Disorders](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Hereditary Sensory and Autonomic Neuropathies](#)

- [Hyperparathyroidism](#)
- [Kidney Failure](#)
- [Leukemia](#)
- [Mental Disorders](#)
- [Neuroblastoma](#)
- [Social Perception](#)
- [Thyroid Diseases](#)
- [Thyroid Neoplasms](#)