


## **TFE3 Split FISH Probe**


Catalog # FS0004 Size 200 uL, 100 uL

## Applications



# Fluorescent *In Situ* Hybridization (Formalin/PFA-fixed paraffin-embedded sections)

Human renal cell carcinoma (FFPE) stained with TFE3 Split FISH Probe. Human renal cell carcinoma showed TFE3 gene split.



### Hybridization position of the probes on the chromosome.

Hybridization position of the probes on the chromosome.

## Specification

**Product Description** 

Labeled FISH probes for identification of gene split using Fluorescent In Situ Hybridization Techniqu e. (<u>Technology</u>).

Copyright © 2023 Abnova Corporation. All Rights Reserved.

😵 Abnova	Product Information
Probe 1	Name: TFE3(Texas Red) Size: Approximately 570kb Fluorophore: Texas Red Location: Xp11.22
Probe 2	Name: TFE3(FITC) Size: Approximately 550kb Fluorophore: FITC Location: Xp11.22
Probe Gap	The gap between two probes is approximately 90 kb.
Origin	Human
Source	Genomic DNA
Reactivity	Human
Form	Liquid
Notice	We <b>strongly recommend</b> the customer to use FFPE FISH PreTreatment Kit 1 (Catalog #: <u>KA2375</u> or <u>KA2691</u> ) for the pretreatment of Formalin-Fixed Paraffin-Embedded (FFPE) tissue sections.
Regulation Status	For research use only (RUO)
Quality Control Testing	Representative images of normal human cell (lymphocyte) stain with the dual color FISH probe. The I eft image is chromosomes at metaphase, and the right image is an interphase nucleus.
Supplied Product	DAPI Counterstain (1500 ng/mL ) 125 uL for each 100 uL FISH Probe
Storage Instruction	Store at 4°C in the dark.
Note	Hybridization position of the probes on the chromosome. Hybridization position of the probes on the chromosome.

## Applications

• Fluorescent In Situ Hybridization (Cell)

Protocol Download

• Fluorescent In Situ Hybridization (Formalin/PFA-fixed paraffin-embedded sections)

Human renal cell carcinoma (FFPE) stained with TFE3 Split FISH Probe. Human renal cell carcinoma showed TFE3 gene split. <u>Protocol Download</u>

## 😵 Abnova

### **Product Information**

Gene Info — TFE3	
Entrez GenelD	<u>7030</u>
Gene Name	TFE3
Gene Alias	RCCP2, TFEA, bHLHe33
Gene Description	transcription factor binding to IGHM enhancer 3
Omim ID	<u>314310 605074</u>
Gene Ontology	Hyperlink
Gene Summary	TFE3, a member of the helix-loop-helix family of transcription factors, binds to the mu-E3 motif of t he immunoglobulin heavy-chain enhancer and is expressed in many cell types (Henthorn et al., 19 91 [PubMed 1685140]).[supplied by OMIM
Other Designations	OTTHUMP00000024272 Renal cell carcinoma, papillary Transcription factor for lgH enhancer tran scription factor E family, member A transcription factor E3

### **Publication Reference**

• Validation and utilization of a TFE3 break-apart FISH assay for Xp11.2 translocation renal cell carcinoma and alveolar soft part sarcoma.

Pradhan D, Roy S, Quiroga-Garza G, Cieply K, Mahaffey AL, Bastacky S, Dhir R, Parwani AV. Diagnostic Pathology 2015 Sep; 10:179.

Application: FISH, Human, Renal cell carcinomas, Alveolar soft part sarcoma

• <u>A case study of metastatic Xp11.2 translocation renal cell carcinoma effectively treated with sunitinib.</u>

Numakura K, Tsuchiya N, Yuasa T, Saito M, Obara T, Tsuruta H, Narita S, Horikawa Y, Satoh S, Habuchi T. International Journal of Clinical Oncology 2010 Dec; 16(5):577.

Application: FISH-P, Human, Renal cell carcinoma

#### Disease

- Disease Progression
- Disease Susceptibility
- HIV Infections