

TRIM11 Split FISH Probe

Catalog # FS0077 Size 200 uL, 100 uL

Applications



Hybridization position of the probes on the chromosome.

Hybridization position of the probes on the chromosome.

Specification	
Product Description	Labeled FISH probes for identification of gene split using Fluorescent In Situ Hybridization Techniqu e. (<u>Technology</u>).
Probe 1	Name: TRIM1
	Size: Approximately 350kb
	Fluorophore: Texas Red
	Location: 1q42.3
Probe 2	Name: TRIM1
	Size: Approximately 590kb
	Fluorophore: FITC
	Location: 1q42.3
Origin	Human

😵 Abnova

Product Information

Source	Genomic DNA
Reactivity	Human
Notice	We strongly recommend the customer to use FFPE FISH PreTreatment Kit 1 (Catalog #: <u>KA2375</u> or <u>KA2691</u>) for the pretreatment of Formalin-Fixed Paraffin-Embedded (FFPE) tissue sections.
Regulatory Status	For research use only (RUO)
Quality Control Testing	Representative images of normal human cell (lymphocyte) stain with the dual color FISH probe. The I eft image is chromosomes at metaphase, and the right image is an interphase nucleus.
Supplied Product	DAPI Counterstain (1500 ng/mL) 125 uL for each 100 uL FISH Probe
Storage Instruction	Store at 4°C in the dark.
Note	Hybridization position of the probes on the chromosome. Hybridization position of the probes on the chromosome.

Applications

• Fluorescent In Situ Hybridization (Cell)

Protocol Download

Gene Info — TRIM11

Entrez GenelD	<u>81559</u>
Gene Name	TRIM11
Gene Alias	BIA1, RNF92
Gene Description	tripartite motif-containing 11
Omim ID	<u>607868</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	The protein encoded by this gene is a member of the tripartite motif (TRIM) family. The TRIM motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil region. This protein localizes to the nucleus and the cytoplasm. Its function has not been identified. [provided by RefSeq
Other Designations	-



Product Information

Disease

<u>Muscular Dystrophies</u>