


WT1 Split FISH Probe

Catalog # FS0083 Size 200 uL, 100 uL

Applications



Hybridization position of the probes on the chromosome.

Hybridization position of the probes on the chromosome.

Specification

Product Description	Labeled FISH probes for identification of gene split using Fluorescent In Situ Hybridization Technique. (Technology).
Probe 1	Name: WT1 Size: Approximately 390kb Fluorophore: Texas Red Location: 11p13
Probe 2	Name: WT1 Size: Approximately 600kb Fluorophore: FITC Location: 11p13
Origin	Human

Source	Genomic DNA
Reactivity	Human
Notice	We strongly recommend the customer to use FFPE FISH PreTreatment Kit 1 (Catalog #: KA2375 or KA2691) for the pretreatment of Formalin-Fixed Paraffin-Embedded (FFPE) tissue sections.
Regulatory Status	For research use only (RUO)
Quality Control Testing	Representative images of normal human cell (lymphocyte) stain with the dual color FISH probe. The left image is chromosomes at metaphase, and the right image is an interphase nucleus.
Supplied Product	DAPI Counterstain (1500 ng/mL) 125 uL for each 100 uL FISH Probe
Storage Instruction	Store at 4°C in the dark.
Note	Hybridization position of the probes on the chromosome. Hybridization position of the probes on the chromosome.

Applications

- Fluorescent In Situ Hybridization (Cell)

[Protocol Download](#)

Gene Info — WT1

Entrez GeneID	7490
Gene Name	WT1
Gene Alias	GUD, WAGR, WIT-2, WT33
Gene Description	Wilms tumor 1
Omim ID	136680 194070 194072 194080 256370 607102
Gene Ontology	Hyperlink
Gene Summary	This gene encodes a transcription factor that contains four zinc-finger motifs at the C-terminus and a proline/glutamine-rich DNA-binding domain at the N-terminus. It has an essential role in the normal development of the urogenital system, and it is mutated in a small subset of patients with Wilms's tumors. Multiple transcript variants, resulting from alternative splicing at two coding exons, have been well characterized. There is also evidence for the use of non-AUG (CUG) translation initiation site upstream of, and in-frame with the first AUG, leading to additional isoforms. Authors of PMID:7926762 also provide evidence that WT1 mRNA undergoes RNA editing in human and rat, and that this process is tissue-restricted and developmentally regulated. [provided by RefSeq]

Other Designations

-

Disease

- [Abnormalities](#)
- [Acute Disease](#)
- [Denys-Drash Syndrome](#)
- [Disease Progression](#)
- [Eye Diseases](#)
- [Frasier Syndrome](#)
- [Genetic Predisposition to Disease](#)
- [Glomerulosclerosis](#)
- [Gonadoblastoma](#)
- [Hypospadias](#)
- [Kidney Failure](#)
- [Kidney Neoplasms](#)
- [Leukemia](#)
- [Neoplasms](#)
- [Neovascularization](#)
- [Nephrotic Syndrome](#)
- [Pancreatic cancer](#)
- [Pancreatic Neoplasms](#)
- [Precursor T-Cell Lymphoblastic Leukemia-Lymphoma](#)
- [Recurrence](#)
- [Sex determination](#)
- [Thyroid Neoplasms](#)
- [Tobacco Use Disorder](#)

- [Urogenital Abnormalities](#)
- [Wilms Tumor](#)