


IGH/CCND1 DY Translocation FISH Probe

Catalog # FT0020 Size 200 uL, 100 uL

Applications



Hybridization position of the probes on the chromosome.

Hybridization position of the probes on the chromosome.

Specification

Product Description	Labeled FISH probes for identification of gene translocation using Fluorescent In Situ Hybridization Technique. (Technology).
Probe 1	Name: IGH Size: Approximately 1550kb Fluorophore: FITC Location: 14q32
Probe 2	Name: CCND1 Size: Approximately 540kb Fluorophore: TexRed Location: 11q13
Origin	Human

Source	Genomic DNA
Reactivity	Human
Form	Liquid
Notice	We strongly recommend the customer to use FFPE FISH PreTreatment Kit 1 (Catalog #: KA2375 or KA2691) for the pretreatment of Formalin-Fixed Paraffin-Embedded (FFPE) tissue sections.
Regulation Status	For research use only (RUO)
Quality Control Testing	Representative images of normal human cell (lymphocyte) stain with the dual color FISH probe. The left image is chromosomes at metaphase, and the right image is an interphase nucleus.
Supplied Product	DAPI Counterstain (1500 ng/mL) 125 uL for each 100 uL FISH Probe
Storage Instruction	Store at 4°C in the dark.
Note	Hybridization position of the probes on the chromosome. Hybridization position of the probes on the chromosome.

Applications

- Fluorescent In Situ Hybridization (Cell)

[Protocol Download](#)

Gene Info — CCND1

Entrez GeneID	595
Gene Name	CCND1
Gene Alias	BCL1, D11S287E, PRAD1, U21B31
Gene Description	cyclin D1
Omim ID	151400 168461 193300 254500
Gene Ontology	Hyperlink

Gene Summary

The protein encoded by this gene belongs to the highly conserved cyclin family, whose members are characterized by a dramatic periodicity in protein abundance throughout the cell cycle. Cyclins function as regulators of CDK kinases. Different cyclins exhibit distinct expression and degradation patterns which contribute to the temporal coordination of each mitotic event. This cyclin forms a complex with and functions as a regulatory subunit of CDK4 or CDK6, whose activity is required for cell cycle G1/S transition. This protein has been shown to interact with tumor suppressor protein Rb and the expression of this gene is regulated positively by Rb. Mutations, amplification and overexpression of this gene, which alters cell cycle progression, are observed frequently in a variety of tumors and may contribute to tumorigenesis. [provided by RefSeq]

Other Designations

B-cell CLL/lymphoma 1|G1/S-specific cyclin D1

Gene Info — IGH

Entrez GeneID

[3492](#)

Gene Name

IGH

Gene Alias

IGH, IGH.1@, IGHDY1, MGC72071, MGC88774

Gene Description

immunoglobulin heavy locus

Gene Ontology

[Hyperlink](#)

Gene Summary

Immunoglobulins recognize foreign antigens and initiate immune responses such as phagocytosis and the complement system. Each immunoglobulin molecule consists of two identical heavy chains and two identical light chains. This region represents the germline organization of the heavy chain locus. The locus includes V (variable), D (diversity), J (joining), and C (constant) segments. During B cell development, a recombination event at the DNA level joins a single D segment with a J segment; this partially rearranged D-J gene is then joined to a V segment. The rearranged V-D-J is then transcribed with theIGHM constant region; this transcript encodes a mu heavy chain. Later in development B cells generate V-D-J-Cmu-Cdelta pre-messenger RNA, which is alternatively spliced to encode either a mu or a delta heavy chain. Mature B cells in the lymph nodes undergo switch recombination, so that the V-D-J gene is brought in proximity to one of theIGHG, IGHA, or IGH E genes and each cell expresses either the gamma, alpha, or epsilon heavy chain. Recombination of many different V segments with several J segments provides a wide range of antigen recognition. Additional diversity is attained by junctional diversity, resulting from the random addition of nucleotides by terminal deoxynucleotidyltransferase, and by somatic hypermutation, which occurs during B cell maturation in the spleen and lymph nodes. Several V, D, J, and C segments are known to be incapable of encoding a protein and are considered pseudogenes. [provided by RefSeq]

Other Designations

-

Pathway

- [Acute myeloid leukemia](#)

- [Bladder cancer](#)
- [Cell cycle](#)
- [Chronic myeloid leukemia](#)
- [Colorectal cancer](#)
- [Endometrial cancer](#)
- [Focal adhesion](#)
- [Glioma](#)
- [Jak-STAT signaling pathway](#)
- [Melanoma](#)
- [Non-small cell lung cancer](#)
- [p53 signaling pathway](#)
- [Pancreatic cancer](#)
- [Pathways in cancer](#)
- [Prostate cancer](#)
- [Small cell lung cancer](#)
- [Thyroid cancer](#)
- [Wnt signaling pathway](#)

Disease

- [Adenocarcinoma](#)
- [Adenoma](#)
- [Ataxia telangiectasia](#)
- [Barrett Esophagus](#)
- [Brain Neoplasms](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)

- [Carcinoma](#)
- [Carcinoma in Situ](#)
- [Cell Transformation](#)
- [Chromosome Aberrations](#)
- [Chromosome Aberrations](#)
- [Chronic Disease](#)
- [Colitis](#)
- [Colon cancer](#)
- [Colorectal Neoplasms](#)
- [Crohn Disease](#)
- [Disease Progression](#)
- [Disease Susceptibility](#)
- [DNA Damage](#)
- [Endometrial Neoplasms](#)
- [Esophageal Neoplasms](#)
- [Fetal Diseases](#)
- [Gastritis](#)
- [Gastroesophageal Reflux](#)
- [Genetic Predisposition to Disease](#)
- [Genomic Instability](#)
- [Glioma](#)
- [Head and Neck Neoplasms](#)
- [Helicobacter Infections](#)
- [Hematologic Diseases](#)
- [Hemophilia A](#)
- [Hepatoblastoma](#)

- [Hodgkin Disease](#)
- [Hyperparathyroidism](#)
- [Hypopharyngeal Neoplasms](#)
- [Inflammatory Bowel Diseases](#)
- [Insulin Resistance](#)
- [Intestinal Neoplasms](#)
- [Kidney Failure](#)
- [Kidney Neoplasms](#)
- [Laryngeal Diseases](#)
- [Laryngeal Neoplasms](#)
- [Leiomyoma](#)
- [Leukemia](#)
- [Leukoplakia](#)
- [Liver Neoplasms](#)
- [Lung Neoplasms](#)
- [Lymphatic Metastasis](#)
- [Lymphoma](#)
- [Lymphoproliferative Disorders](#)
- [Meningeal Neoplasms](#)
- [Meningioma](#)
- [Mouth Neoplasms](#)
- [Nasopharyngeal Neoplasms](#)
- [Neoplasm Invasiveness](#)
- [Neoplasm Metastasis](#)
- [Neoplasm Recurrence](#)
- [Neoplasms](#)

- [Neuroma](#)
- [Obesity](#)
- [Occupational Diseases](#)
- [Oropharyngeal Neoplasms](#)
- [Ovarian cancer](#)
- [Ovarian Neoplasms](#)
- [Papillomavirus Infections](#)
- [Peptic Ulcer](#)
- [Pituitary Neoplasms](#)
- [Precancerous Conditions](#)
- [Prolactinoma](#)
- [Prostate cancer](#)
- [Prostatic Hyperplasia](#)
- [Prostatic Neoplasms](#)
- [Pulmonary Disease](#)
- [Rectal Neoplasms](#)
- [Recurrence](#)
- [Retinoblastoma](#)
- [Skin Neoplasms](#)
- [Stomach Neoplasms](#)
- [Translocation](#)
- [Urinary Bladder Neoplasms](#)
- [Uterine Cervical Neoplasms](#)
- [Uterine Neoplasms](#)
- [Waldenstrom Macroglobulinemia](#)
- [Werner syndrome](#)