## ALDOB rabbit monoclonal antibody

Catalog # H00000229-K

Size 100 ug x up to 3

Specification	
Product Description	Rabbit monoclonal antibody raised against a human ALDOB peptide using ARM Technology.
Immunogen	A synthetic peptide of human ALDOB is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (ARM Technology).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
lsotype	lgG
Quality Control Testing	Antibody reactive against human ALDOB peptide by ELISA and mammalian transfected lysate by W estern Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit IgG clones of 100 ug each will be delivered to customer.
Note	<ol> <li>Customer may provide cell or tissue lysate for antibody screening.</li> <li>Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in cluding F(ab)<sub>2</sub>, lgG, scFv and different Fc and non-Fc conjugates per customer request.</li> </ol>

### Applications

• Western Blot (Transfected lysate)

Protocol Download

• ELISA

Gene Info — ALDOB	
Entrez GenelD	<u>229</u>
GeneBank Accession#	ALDOB
Gene Name	ALDOB
Gene Alias	-
Gene Description	aldolase B, fructose-bisphosphate
Omim ID	229600
Gene Ontology	Hyperlink
Gene Summary	Fructose-1,6-bisphosphate aldolase (EC 4.1.2.13) is a tetrameric glycolytic enzyme that catalyze s the reversible conversion of fructose-1,6-bisphosphate to glyceraldehyde 3-phosphate and dihy droxyacetone phosphate. Vertebrates have 3 aldolase isozymes which are distinguished by their electrophoretic and catalytic properties. Differences indicate that aldolases A, B, and C are distin ct proteins, the products of a family of related 'housekeeping' genes exhibiting developmentally re gulated expression of the different isozymes. The developing embryo produces aldolase A, which is produced in even greater amounts in adult muscle where it can be as much as 5% of total cellul ar protein. In adult liver, kidney and intestine, aldolase A and C are expressed and aldolase B i s produced. In brain and other nervous tissue, aldolase A and C. Defects in ALDOB cause hereditary f ructose intolerance. [provided by RefSeq
Other Designations	OTTHUMP00000021803 aldolase 2 aldolase B, fructose-bisphosphatase

### Pathway

- Biosynthesis of alkaloids derived from histidine and purine
- Biosynthesis of alkaloids derived from ornithine
- Biosynthesis of alkaloids derived from shikimate pathway
- Biosynthesis of alkaloids derived from terpenoid and polyketide
- Biosynthesis of phenylpropanoids
- <u>Biosynthesis of plant hormones</u>
- Biosynthesis of terpenoids and steroids

# 😵 Abnova

### **Product Information**

- Carbon fixation in photosynthetic organisms
- Fructose and mannose metabolism
- <u>Glycolysis / Gluconeogenesis</u>
- <u>Metabolic pathways</u>
- Pentose phosphate pathway

#### Disease

- <u>Carcinoma</u>
- Disease Progression
- Fructose Intolerance
- Genetic Predisposition to Disease
- Hepatitis C
- Liver Neoplasms
- <u>Viremia</u>