


ANPEP (Human) Recombinant Protein (Q01)

Catalog # H00000290-Q01 Size 25 ug, 10 ug

Applications



Specification	
Product Description	Human ANPEP partial ORF (AAH58928.1, 858 a.a 967 a.a.) recombinant protein with GST-tag at N-terminal.
Sequence	DATSTIISITNNVIGQGLVWDFVQSNWKKLFNDYGGGSFSFSNLIQAVTRRFSTEYELQQLEQFKKD NEETGFGSGTRALEQALEKTKANIKWVKENKEVVLQWFTENSK
Host	Wheat Germ (in vitro)
Theoretical MW (kDa)	37.84
Interspecies Antigen Sequence	Mouse (79); Rat (86)
Preparation Method	in vitro wheat germ expression system
Purification	Glutathione Sepharose 4 Fast Flow
Quality Control Testing	12.5% SDS-PAGE Stained with Coomassie Blue.
Storage Buffer	50 mM Tris-HCI, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.
Note	Best use within three months from the date of receipt of this protein.



Applications

- Enzyme-linked Immunoabsorbent Assay
- Western Blot (Recombinant protein)
- Antibody Production
- Protein Array

Gene Info — ANPEP	
Entrez GenelD	<u>290</u>
GeneBank Accession#	BC058928
Protein Accession#	<u>AAH58928.1</u>
Gene Name	ANPEP
Gene Alias	APN, CD13, LAP1, PEPN, gp150, p150
Gene Description	alanyl (membrane) aminopeptidase
Omim ID	<u>151530</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	Aminopeptidase N is located in the small-intestinal and renal microvillar membrane, and also in ot her plasma membranes. In the small intestine aminopeptidase N plays a role in the final digestion of peptides generated from hydrolysis of proteins by gastric and pancreatic proteases. Its function in proximal tubular epithelial cells and other cell types is less clear. The large extracellular carboxyt erminal domain contains a pentapeptide consensus sequence characteristic of members of the zi nc-binding metalloproteinase superfamily. Sequence comparisons with known enzymes of this class showed that CD13 and aminopeptidase N are identical. The latter enzyme was thought to be in volved in the metabolism of regulatory peptides by diverse cell types, including small intestinal and renal tubular epithelial cells, macrophages, granulocytes, and synaptic membranes from the CN S. Human aminopeptidase N is a receptor for one strain of human coronavirus that is an important cause of upper respiratory tract infections. Defects in this gene appear to be a cause of various types of leukemia or lymphoma. [provided by RefSeq
Other Designations	OTTHUMP00000194690 aminopeptidase M aminopeptidase N membrane alanine aminopeptid ase microsomal aminopeptidase



Pathway

- Glutathione metabolism
- Hematopoietic cell lineage
- Metabolic pathways
- Renin-angiotensin system

Disease

- Genetic Predisposition to Disease
- <u>Hypertension</u>
- Lung Neoplasms
- Tobacco Use Disorder