


SLC25A5 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00000292-T01


Size 100 uL

Applications



SDS-PAGE Gel

SLC25A5 transfected lysate



Western Blot

Lane 1: SLC25A5 transfected lysate (32.89 KDa).

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line	293T
Plasmid	pCMV-SLC25A5 full-length
Host	Human
Theoretical MW (kDa)	32.89
Interspecies Antigen Sequence	Mouse (99); Rat (99)

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-SLC25A5 antibody ([H00000292-B01](#)) by Western Blots.
SDS-PAGE Gel
SLC25A5 transfected lysate
Western Blot
Lane 1: SLC25A5 transfected lysate (32.89 KDa).
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — SLC25A5

Entrez GeneID[292](#)**GeneBank Accession#**[BC056160](#)**Protein Accession#**[AAH56160](#)**Gene Name**

SLC25A5

Gene Alias

2F1, AAC2, ANT2, T2, T3

Gene Description

solute carrier family 25 (mitochondrial carrier; adenine nucleotide translocator), member 5

Omim ID[300150](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

This gene is a member of the mitochondrial carrier subfamily of solute carrier protein genes. The product of this gene functions as a gated pore that translocates ADP from the mitochondrial matrix into the cytoplasm. The protein forms a homodimer embedded in the inner mitochondrial membrane. Suppressed expression of this gene has been shown to induce apoptosis and inhibit tumor growth. The human genome contains several non-transcribed pseudogenes of this gene

Other Designations

OTTHUMP00000024324|adenine nucleotide translocator 2 (fibroblast)|solute carrier family 25, member 5

Pathway

- [Calcium signaling pathway](#)