


BCL3 293T Cell Transient Overexpression Lysate(Denatured)


Catalog # H00000602-T02 Size 100 uL

Applications



SDS-PAGE Gel

BCL3 transfected lysate.



Western Blot

Lane 1: BCL3 transfected lysate (46.80 KDa)

Lane 2: Non-transfected lysate.

Specification	
Transfected Cell Line	293T
Plasmid	pCMV-BCL3 full-length
Host	Human
Theoretical MW (kDa)	46.8
Quality Control Testing	Transient overexpression cell lysate was tested with Anti-BCL3 antibody (H00000602-D01P) by We stern Blots. SDS-PAGE Gel BCL3 transfected lysate. Western Blot Lane 1: BCL3 transfected lysate (46.80 KDa) Lane 2: Non-transfected lysate.



Product Information

Storage Buffer	1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bro mophenol blue)
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

Western Blot

Gene Info — BCL3	
Entrez GenelD	602
GeneBank Accession#	NM_005178
Protein Accession#	NP_005169.1
Gene Name	BCL3
Gene Alias	BCL4, D19S37
Gene Description	B-cell CLL/lymphoma 3
Omim ID	109560
Gene Ontology	<u>Hyperlink</u>
Gene Summary	This gene is a proto-oncogene candidate. It is identified by its translocation into the immunoglobul in alpha-locus in some cases of B-cell leukemia. The protein encoded by this gene contains seve n ankyrin repeats, which are most closely related to those found in I kappa B proteins. This protein functions as a transcriptional co-activator that activates through its association with NF-kappa B h omodimers. The expression of this gene can be induced by NF-kappa B, which forms a part of the autoregulatory loop that controls the nuclear residence of p50 NF-kappa B. [provided by RefSe q
Other Designations	B-cell leukemia/lymphoma 3 B-cell lymphoma 3-encoded protein chronic lymphatic leukemia prot ein

Disease

- Cardiovascular Diseases
- Cleft Lip



- Cleft Palate
- Crohn Disease
- Disease Models
- Genetic Predisposition to Disease