


MaxPab®

TNFRSF17 MaxPab rabbit polyclonal antibody (D01)

Catalog # H00000608-D01

Size 100 uL

Applications




Western Blot (Transfected lysate)

Western Blot analysis of TNFRSF17 expression in transfected 293T cell line ([H00000608-T02](#)) by TNFRSF17 MaxPab polyclonal antibody.

Lane 1: TNFRSF17 transfected lysate(20.1 kDa).

Lane 2: Non-transfected lysate.



Immunoprecipitation

Immunoprecipitation of TNFRSF17 transfected lysate using anti-TNFRSF17 MaxPab rabbit polyclonal antibody and Protein A Magnetic Bead, and immunoblotted with ().

Specification

Product Description	Rabbit polyclonal antibody raised against a full-length human TNFRSF17 protein.
Immunogen	TNFRSF17 (AAH58291.1, 1 a.a. ~ 184 a.a) full-length human protein.
Sequence	MLQMAGQCSQNEYFDSLLHACIPCQLRCSSNTPPLTCQRYCNASVTNSVKGTNAILWTCLGLSLII SLAVFVLMFLLRKISSEPLEDEFKNTGSGLLGMANIDLEKSRTGDEILPRGLEYTVEECTCEDCIKS KPKVDSDDHCFPLPAMEEGATILVTTKTNDYCKSLPAALSATEIEKSISAR
Host	Rabbit
Reactivity	Human

Interspecies Antigen Sequence

Mouse (62); Rat (61)

Quality Control Testing

Antibody reactive against mammalian transfected lysate.

Storage Buffer

No additive

Storage Instruction

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of TNFRSF17 expression in transfected 293T cell line ([H00000608-T02](#)) by TNFRSF17 MaxPab polyclonal antibody.

Lane 1: TNFRSF17 transfected lysate(20.1 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

- Immunoprecipitation

Immunoprecipitation of TNFRSF17 transfected lysate using anti-TNFRSF17 MaxPab rabbit polyclonal antibody and Protein A Magnetic Bead, and immunoblotted with ().

[Protocol Download](#)

Gene Info — TNFRSF17

Entrez GeneID[608](#)**GeneBank Accession#**[BC058291](#)**Protein Accession#**[AAH58291.1](#)**Gene Name**

TNFRSF17

Gene Alias

BCM, BCMA, CD269

Gene Description

tumor necrosis factor receptor superfamily, member 17

Omim ID[109545](#)**Gene Ontology**[Hyperlink](#)

Gene Summary

The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor is preferentially expressed in mature B lymphocytes, and may be important for B cell development and autoimmune response. This receptor has been shown to specifically bind to the tumor necrosis factor (ligand) superfamily, member 13b (TNFSF13B/TALL-1/BAFF), and to lead to NF-kappaB and MAPK8/JNK activation. This receptor also binds to various TRAF family members, and thus may transduce signals for cell survival and proliferation. [provided by RefSeq]

Other Designations

B cell maturation antigen|B-cell maturation factor|OTTHUMP00000160261

Pathway

- [Cytokine-cytokine receptor interaction](#)

Disease

- [Arthritis](#)
- [Asthma](#)
- [Colitis](#)
- [Crohn Disease](#)
- [Genetic Predisposition to Disease](#)
- [Hematologic Diseases](#)
- [Kidney Failure](#)
- [Multiple Myeloma](#)
- [Occupational Diseases](#)