


MaxPab®

TNFRSF17 purified MaxPab rabbit polyclonal antibody (D01P)

Catalog # H00000608-D01P

Size 100 ug

Applications



Western Blot (Transfected lysate)

Western Blot analysis of TNFRSF17 expression in transfected 293T cell line ([H00000608-T02](#)) by TNFRSF17 MaxPab polyclonal antibody.

Lane 1: TNFRSF17 transfected lysate(20.10 KDa).

Lane 2: Non-transfected lysate.

Specification

Product Description	Rabbit polyclonal antibody raised against a full-length human TNFRSF17 protein.
Immunogen	TNFRSF17 (AAH58291.1, 1 a.a. ~ 184 a.a) full-length human protein.
Sequence	MLQMAGQCSQNEYFDSLLHACIPCQLRCSSNTPPLTCQRYCNASVTNSVKGTNAILWTCLGLSLII SLAVFVLMFLLRKISSEPLEDEFKNTGSGLLGMANIDLEKSRTGDEIILPRGLETVVEECTCEDCIKS KPKVDSDHCFPLPAMEEGATILVTTKTNDYCKSLPAALSATEIEKSISAR
Host	Rabbit
Reactivity	Human
Interspecies Antigen Sequence	Mouse (62); Rat (61)
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of TNFRSF17 expression in transfected 293T cell line ([H00000608-T02](#)) by TNFRSF17 MaxPab polyclonal antibody.

Lane 1: TNFRSF17 transfected lysate(20.10 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — TNFRSF17

Entrez GeneID [608](#)

GeneBank Accession# [BC058291](#)

Protein Accession# [AAH58291.1](#)

Gene Name TNFRSF17

Gene Alias BCM, BCMA, CD269

Gene Description tumor necrosis factor receptor superfamily, member 17

Omim ID [109545](#)

Gene Ontology [Hyperlink](#)

Gene Summary The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor is preferentially expressed in mature B lymphocytes, and may be important for B cell development and autoimmune response. This receptor has been shown to specifically bind to the tumor necrosis factor (ligand) superfamily, member 13b (TNFSF13B/TALL-1/BAFF), and to lead to NF-kappaB and MAPK8/JNK activation. This receptor also binds to various TRAF family members, and thus may transduce signals for cell survival and proliferation. [provided by RefSeq]

Other Designations B cell maturation antigen|B-cell maturation factor|OTTHUMP00000160261

Pathway

- [Cytokine-cytokine receptor interaction](#)

Disease

- [Arthritis](#)
- [Asthma](#)
- [Colitis](#)
- [Crohn Disease](#)
- [Genetic Predisposition to Disease](#)
- [Hematologic Diseases](#)
- [Kidney Failure](#)
- [Multiple Myeloma](#)
- [Occupational Diseases](#)