

BMP4 rabbit monoclonal antibody

Catalog # H00000652-K Size 100 ug x up to 3

Specification

Product Description	Rabbit monoclonal antibody raised against a human BMP4 peptide using ARM Technology.
Immunogen	A synthetic peptide of human BMP4 is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (ARM Technology).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	IgG
Quality Control Testing	Antibody reactive against human BMP4 peptide by ELISA and mammalian transfected lysate by Western Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit IgG clones of 100 ug each will be delivered to customer.
Note	1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering including F(ab) ₂ , IgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

- Western Blot (Transfected lysate)

[Protocol Download](#)

- ELISA

Gene Info — BMP4

Entrez GeneID [652](#)

GeneBank Accession# [BMP4](#)

Gene Name BMP4

Gene Alias BMP2B, BMP2B1, MCOPS6, ZYME

Gene Description bone morphogenetic protein 4

Omim ID [112262](#)

Gene Ontology [Hyperlink](#)

Gene Summary

The protein encoded by this gene is a member of the bone morphogenetic protein family which is part of the transforming growth factor-beta superfamily. The superfamily includes large families of growth and differentiation factors. Bone morphogenetic proteins were originally identified by an ability of demineralized bone extract to induce endochondral osteogenesis in vivo in an extraskeletal site. This particular family member plays an important role in the onset of endochondral bone formation in humans, and a reduction in expression has been associated with a variety of bone diseases, including the heritable disorder Fibrodysplasia Ossificans Progressiva. Alternative splicing in the 5' untranslated region of this gene has been described and three variants are described, all encoding an identical protein. [provided by RefSeq]

Other Designations bone morphogenetic protein 2B

Pathway

- [Basal cell carcinoma](#)
- [Cytokine-cytokine receptor interaction](#)
- [Hedgehog signaling pathway](#)
- [Pathways in cancer](#)
- [TGF-beta signaling pathway](#)

Disease

- [Alzheimer disease](#)
- [Anemia](#)
- [Bone Diseases](#)
- [Calcinosis](#)
- [Cardiovascular Diseases](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Coloboma](#)
- [Colorectal Neoplasms](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Diabetic Nephropathies](#)
- [Disease Susceptibility](#)
- [Edema](#)
- [Gaucher disease](#)
- [Genetic Predisposition to Disease](#)
- [Hemochromatosis](#)
- [Hypospadias](#)
- [Kidney Failure](#)
- [Malignant melanoma](#)
- [Melanoma](#)
- [Metabolic Syndrome X](#)
- [Microphthalmos](#)
- [Neoplasms](#)
- [Neural Tube Defects](#)
- [Obesity](#)

- [Osteoporosis](#)
- [Ovarian Failure](#)
- [Ovarian Neoplasms](#)
- [Polycystic Ovary Syndrome](#)
- [Prenatal Exposure Delayed Effects](#)
- [Puberty](#)
- [Skin Neoplasms](#)
- [Thrombophilia](#)
- [Tobacco Use Disorder](#)