


BMP5 monoclonal antibody (M03), clone 3G11

Catalog # H00000653-M03 Size 100 ug

Applications



Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged BMP5 is 0.3 ng/ml as a capture antibody.

Specification	
Product Description	Mouse monoclonal antibody raised against a partial recombinant BMP5.
Immunogen	BMP5 (NP_066551.1, 341 a.a. ~ 440 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	VGDYNTSEQKQACKKHELYVSFRDLGWQDWIAPEGYAAFYCDGECSFPLNAHMNATNHAIVQTL VHLMFPDHVPKPCCAPTKLNAISVLYFDDSSNVIL
Host	Mouse
Reactivity	Human
lsotype	lgG2b Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.



Applications

- Sandwich ELISA (Recombinant protein)
 Detection limit for recombinant GST tagged BMP5 is 0.3 ng/ml as a capture antibody.
 <u>Protocol Download</u>
- ELISA

Gene Info — BMP5	
Entrez GenelD	<u>653</u>
GeneBank Accession#	<u>NM_021073.1</u>
Protein Accession#	<u>NP_066551.1</u>
Gene Name	BMP5
Gene Alias	MGC34244
Gene Description	bone morphogenetic protein 5
Omim ID	<u>112265</u>
Gene Ontology	Hyperlink
Gene Summary	This gene encodes a member of the bone morphogenetic protein family which is part of the transf orming growth factor-beta superfamily. The superfamily includes large families of growth and diffe rentiation factors. Bone morphogenetic proteins were originally identified by an ability of deminer alized bone extract to induce endochondral osteogenesis in vivo in an extraskeletal site. These pr oteins are synthesized as prepropeptides, cleaved, and then processed into dimeric proteins. Thi s protein may act as an important signaling molecule within the trabecular meshwork and optic ne rve head, and may play a potential role in glaucoma pathogenesis. This gene is differentially regul ated during the formation of various tumors. [provided by RefSeq
Other Designations	OTTHUMP00000016650

Pathway

- Cytokine-cytokine receptor interaction
- Hedgehog signaling pathway

😵 Abnova

• TGF-beta signaling pathway

Disease

- <u>Congenital Abnormalities</u>
- Genetic Predisposition to Disease
- Obesity
- Osteoarthritis
- Ovarian Failure
- Polycystic Ovary Syndrome
- Puberty
- Thrombophilia
- Tobacco Use Disorder