

BMP7 rabbit monoclonal antibody

Catalog # H00000655-K Size 100 ug x up to 3

Specification

Product Description	Rabbit monoclonal antibody raised against a human BMP7 peptide using ARM Technology.
Immunogen	A synthetic peptide of human BMP7 is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (ARM Technology).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	IgG
Quality Control Testing	Antibody reactive against human BMP7 peptide by ELISA and mammalian transfected lysate by Western Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit IgG clones of 100 ug each will be delivered to customer.
Note	1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering including F(ab) ₂ , IgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

- Western Blot (Transfected lysate)

[Protocol Download](#)

- ELISA

Gene Info — BMP7

Entrez GeneID	655
GeneBank Accession#	BMP7
Gene Name	BMP7
Gene Alias	OP-1
Gene Description	bone morphogenetic protein 7
Omim ID	112267
Gene Ontology	Hyperlink
Gene Summary	The bone morphogenetic proteins (BMPs) are a family of secreted signaling molecules that can induce ectopic bone growth. Many BMPs are part of the transforming growth factor-beta (TGFB) superfamily. BMPs were originally identified by an ability of demineralized bone extract to induce endochondral osteogenesis in vivo in an extraskeletal site. Based on its expression early in embryogenesis, the BMP encoded by this gene has a proposed role in early development and possible bone inductive activity. [provided by RefSeq]
Other Designations	OTTHUMP000000031357 osteogenic protein 1

Pathway

- [Cytokine-cytokine receptor interaction](#)
- [Hedgehog signaling pathway](#)
- [TGF-beta signaling pathway](#)

Disease

- [Alzheimer disease](#)
- [Calcinosis](#)
- [Cardiovascular Diseases](#)
- [Cleft Lip](#)

- [Cleft Palate](#)
- [Depressive Disorder](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Diabetic Nephropathies](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Hyperparathyroidism](#)
- [Hypospadias](#)
- [Kidney Failure](#)
- [Metabolic Syndrome X](#)
- [Narcolepsy](#)
- [Neoplasms](#)
- [Obesity](#)
- [Osteoporosis](#)
- [Ovarian Failure](#)
- [Polycystic Ovary Syndrome](#)
- [Psychiatric Status Rating Scales](#)
- [Puberty](#)
- [Thrombophilia](#)
- [Tobacco Use Disorder](#)
- [Tooth Abnormalities](#)