


MaxPab®

BST2 MaxPab rabbit polyclonal antibody (D01)

Catalog # H00000684-D01


Size 100 uL

Applications




Western Blot (Tissue lysate)

BST2 MaxPab rabbit polyclonal antibody. Western Blot analysis of BST2 expression in human spleen.



Western Blot (Tissue lysate)

BST2 MaxPab rabbit polyclonal antibody. Western Blot analysis of BST2 expression in human liver.




Western Blot (Transfected lysate)

Western Blot analysis of BST2 expression in transfected 293T cell line ([H00000684-T02](#)) by BST2 MaxPab polyclonal antibody.

Lane 1: BST2 transfected lysate(19.8 KDa).

Lane 2: Non-transfected lysate.



Immunoprecipitation

Immunoprecipitation of BST2 transfected lysate using anti-BST2 MaxPab rabbit polyclonal antibody and Protein A Magnetic Bead, and immunoblotted with BST2 purified MaxPab mouse polyclonal antibody (B02P) ([H00000684-B02P](#)).

Specification

Product Description	Rabbit polyclonal antibody raised against a full-length human BST2 protein.
Immunogen	BST2 (NP_004326.1, 1 a.a. ~ 180 a.a) full-length human protein.
Sequence	MASTSYDYCRVPMEDGDKRCKLLLGIGILVLLIMILGVPLIIFTIKANSEACRDGLRAVMECRNVTHLL QQELTEAQKGFQDVEAQAATCNHTVMALMASLDAEKAQGQKKVEELEGEITTLNHKLQDASAEV ERLRRENQVLSVRIADKKYYPSSQDSSSAAAPQLLMVLLGLSALLQ
Host	Rabbit
Reactivity	Human
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	No additive
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Tissue lysate)

BST2 MaxPab rabbit polyclonal antibody. Western Blot analysis of BST2 expression in human spleen.

[Protocol Download](#)

- Western Blot (Tissue lysate)

BST2 MaxPab rabbit polyclonal antibody. Western Blot analysis of BST2 expression in human liver.

[Protocol Download](#)

- Western Blot (Transfected lysate)

Western Blot analysis of BST2 expression in transfected 293T cell line ([H00000684-T02](#)) by BST2 MaxPab polyclonal antibody.

Lane 1: BST2 transfected lysate(19.8 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

- Immunoprecipitation

Immunoprecipitation of BST2 transfected lysate using anti-BST2 MaxPab rabbit polyclonal antibody and Protein A Magnetic Bead, and immunoblotted with BST2 purified MaxPab mouse polyclonal antibody (B02P) ([H00000684-B02P](#)).

[Protocol Download](#)

Gene Info — BST2

Entrez GeneID [684](#)

GeneBank Accession# [NM_004335](#)

Protein Accession# [NP_004326.1](#)

Gene Name BST2

Gene Alias CD317

Gene Description bone marrow stromal cell antigen 2

Omim ID [600534](#)

Gene Ontology [Hyperlink](#)

Gene Summary Bone marrow stromal cells are involved in the growth and development of B-cells. The specific function of the protein encoded by the bone marrow stromal cell antigen 2 is undetermined; however, this protein may play a role in pre-B-cell growth and in rheumatoid arthritis. [provided by RefSeq]

Other Designations tetherin

Disease

- [Genetic Predisposition to Disease](#)

- [Ovarian Neoplasms](#)