


C3 (Human) Recombinant Protein (Q01)

Catalog # H00000718-Q01

Size 25 ug, 10 ug

Applications



Specification

Product Description	Human C3 partial ORF (NP_000055, 1534 a.a. - 1644 a.a.) recombinant protein with GST-tag at N-terminal.
Sequence	DKACEPGVDYVYKTRLVKVQLSNDFDEYMAIEQTIKSGSDEVQVGQQRTFISPIKCREALKLEEKK HYLMWGLSSDFWGEKPNLSYIGKDTWVEHWPEEDECQDEENQK
Host	Wheat Germ (in vitro)
Theoretical MW (kDa)	37.95
Preparation Method	in vitro wheat germ expression system
Purification	Glutathione Sepharose 4 Fast Flow
Quality Control Testing	12.5% SDS-PAGE Stained with Coomassie Blue.
Storage Buffer	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.
Note	Best use within three months from the date of receipt of this protein.

Applications

- Enzyme-linked Immunoabsorbent Assay
- Western Blot (Recombinant protein)
- Antibody Production
- Protein Array

Gene Info — C3

Entrez GeneID	718
GeneBank Accession#	NM_000064
Protein Accession#	NP_000055
Gene Name	C3
Gene Alias	ARMD9, ASP, CPAMD1
Gene Description	complement component 3
Omim ID	120700
Gene Ontology	Hyperlink
Gene Summary	Complement component C3 plays a central role in the activation of complement system. Its activation is required for both classical and alternative complement activation pathways. People with C3 deficiency are susceptible to bacterial infection. [provided by RefSeq]
Other Designations	acylation-stimulating protein cleavage product complement component C3

Pathway

- [Complement and coagulation cascades](#)
- [Systemic lupus erythematosus](#)

Disease

- [Alzheimer disease](#)
- [Asthma](#)
- [Atherosclerosis](#)
- [Birth Weight](#)
- [Brain Ischemia](#)
- [Bronchial Hyperreactivity](#)
- [Bronchiolitis](#)
- [Calcinosis](#)
- [Cardiovascular Diseases](#)
- [Celiac Disease](#)
- [Chlamydia Infections](#)
- [Choroidal Neovascularization](#)
- [Coronary Artery Disease](#)
- [Coronary Disease](#)
- [Dermatitis](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Disease Progression](#)
- [Disease Susceptibility](#)
- [Diseases in Twins](#)
- [Edema](#)
- [Erythema Nodosum](#)
- [Genetic Predisposition to Disease](#)
- [Geographic Atrophy](#)
- [Glioblastoma](#)
- [Glioma](#)

- [Hematologic Diseases](#)
- [Hemolytic-Uremic Syndrome](#)
- [Hypersensitivity](#)
- [Hypertension](#)
- [Infant](#)
- [Inflammation](#)
- [Inflammatory Bowel Diseases](#)
- [Leukemia](#)
- [Lupus Erythematosus](#)
- [Lymphoma](#)
- [Macular Degeneration](#)
- [Meningeal Neoplasms](#)
- [Meningioma](#)
- [Metabolic Syndrome X](#)
- [Migraine Disorders](#)
- [Neoplasms](#)
- [Occupational Diseases](#)
- [Osteoporosis](#)
- [Ovarian Neoplasms](#)
- [Pulmonary Disease](#)
- [Recurrence](#)
- [Respiratory Syncytial Virus Infections](#)
- [Retinal Drusen](#)
- [Sarcoidosis](#)
- [Stroke](#)
- [Tobacco Use Disorder](#)

- [Trachoma](#)
- [Tuberculosis](#)
- [Vision](#)
- [Wet Macular Degeneration](#)