


MaxPab®

CALB1 purified MaxPab rabbit polyclonal antibody (D01P)

Catalog # H00000793-D01P

Size 100 ug

Applications




Western Blot (Transfected lysate)

Western Blot analysis of CALB1 expression in transfected 293T cell line by CALB1 MaxPab rabbit polyclonal antibody.

Lane 1: CALB1 transfected lysate (30.00 KDa).

Lane 2: Non-transfected lysate.



Immunofluorescence

Immunofluorescence of purified MaxPab rabbit antibody to CALB1 on HeLa cell. [antibody concentration 10 ug/ml]

Specification

Product Description	Rabbit polyclonal antibody raised against a full-length human CALB1 protein.
Immunogen	CALB1 (NP_004920.1, 1 a.a. ~ 261 a.a) full-length human protein.
Sequence	MAESHLQSSLITASQFFEIWLHFDADGSGYLEGKELQNLIQELQQARKKAGLELSPMKTFVDQY GQRDDGKIGVELAHVLPTEENFLLFRCCQLKSCEEFMKTWRKYDTHSGFIETEELKNFLKDLL EKANKTVDDTKLAEYTDLMKLFDSDNNDGKLELTEMARLLPVQENFLLKFQGIKMCCKEKNKAFE LYDQDNGYIDENELDALLKDLCEKNKQDLDDINNITYKKNIMALSDGGKLYRTDLALILCAGDN
Host	Rabbit
Reactivity	Human

Interspecies Antigen Sequence	Mouse (98); Rat (98)
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of CALB1 expression in transfected 293T cell line by CALB1 MaxPab rabbit polyclonal antibody.

Lane 1: CALB1 transfected lysate(30.00 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

- Immunofluorescence

Immunofluorescence of purified MaxPab rabbit antibody to CALB1 on HeLa cell. [antibody concentration 10 ug/ml]

Gene Info — CALB1

Entrez GeneID	793
GeneBank Accession#	NM_004929
Protein Accession#	NP_004920.1
Gene Name	CALB1
Gene Alias	CALB
Gene Description	calbindin 1, 28kDa
Omim ID	114050
Gene Ontology	Hyperlink
Gene Summary	Calbindin is a calcium-binding protein belonging to the troponin C superfamily. It was originally described as a 27-kD protein induced by vitamin D in the duodenum of the chick. In the brain, its synthesis is independent of vitamin-D-derived hormones. Calbindin contains 4 active calcium-binding domains, and 2 modified domains that presumably have lost their calcium-binding capacity. The neurons in brains of patients with Huntington disease are calbindin-depleted. [provided by RefSeq]

Other Designations

RTVL-H protein|calbindin 1|calbindin 1, (28kD)

Disease

- [Genetic Predisposition to Disease](#)
- [Parkinson disease](#)