

CD3E rabbit monoclonal antibody

Catalog # H00000916-K Size 100 ug x up to 3

Specification	
Product Description	Rabbit monoclonal antibody raised against a human CD3E peptide using ARM Technology.
Immunogen	A synthetic peptide of human CD3E is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (<u>ARM Technology</u>).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	lgG
Quality Control Testing	Antibody reactive against human CD3E peptide by ELISA and mammalian transfected lysate by We stern Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit lgG clones of 100 ug each will be delivered to customer.
Note	 Customer may provide cell or tissue lysate for antibody screening. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in cluding F(ab)₂, lgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

Western Blot (Transfected lysate)

Protocol Download



ELISA

Gene Info — CD3E	
Entrez GenelD	<u>916</u>
GeneBank Accession#	<u>CD3E</u>
Gene Name	CD3E
Gene Alias	FLJ18683, T3E, TCRE
Gene Description	CD3e molecule, epsilon (CD3-TCR complex)
Omim ID	<u>186830</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	The protein encoded by this gene is the CD3-epsilon polypeptide, which together with CD3-gam ma, -delta and -zeta, and the T-cell receptor alpha/beta and gamma/delta heterodimers, forms the T-cell receptor-CD3 complex. This complex plays an important role in coupling antigen recognition to several intracellular signal-transduction pathways. The genes encoding the epsilon, gamma and delta polypeptides are located in the same cluster on chromosome 11. The epsilon polypeptide plays an essential role in T-cell development. Defects in this gene cause immunodeficiency. This gene has also been linked to a susceptibility to type I diabetes in women. [provided by RefSeq
Other Designations	CD3-epsilon CD3E antigen, epsilon polypeptide CD3e antigen, epsilon polypeptide (TiT3 compl ex) T-cell antigen receptor complex, epsilon subunit of T3 T-cell surface antigen T3/Leu-4 epsilon chain T-cell surface glycoprotein CD3 epsilon chain

Pathway

- Hematopoietic cell lineage
- Primary immunodeficiency
- T cell receptor signaling pathway

Disease

- Asthma
- Cardiovascular Diseases



- Celiac Disease
- Depressive Disorder
- Diabetes Mellitus
- Edema
- Genetic Predisposition to Disease
- Inflammation