

CDH1 rabbit monoclonal antibody

Catalog # H00000999-K

Size 100 ug x up to 3

Specification

Product Description	Rabbit monoclonal antibody raised against a human CDH1 peptide using ARM Technology.
Immunogen	A synthetic peptide of human CDH1 is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (ARM Technology).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	IgG
Quality Control Testing	Antibody reactive against human CDH1 peptide by ELISA and mammalian transfected lysate by Western Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit IgG clones of 100 ug each will be delivered to customer.
Note	1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering including F(ab) ₂ , IgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

- Western Blot (Transfected lysate)

[Protocol Download](#)

- ELISA

Gene Info — CDH1

Entrez GeneID	999
GeneBank Accession#	CDH1
Gene Name	CDH1
Gene Alias	Arc-1, CD324, CDHE, ECAD, LCAM, UVO
Gene Description	cadherin 1, type 1, E-cadherin (epithelial)
Omim ID	137215 192090
Gene Ontology	Hyperlink
Gene Summary	This gene is a classical cadherin from the cadherin superfamily. The encoded protein is a calcium dependent cell-cell adhesion glycoprotein comprised of five extracellular cadherin repeats, a trans membrane region and a highly conserved cytoplasmic tail. Mutations in this gene are correlated with gastric, breast, colorectal, thyroid and ovarian cancer. Loss of function is thought to contribute to progression in cancer by increasing proliferation, invasion, and/or metastasis. The ectodomain of this protein mediates bacterial adhesion to mammalian cells and the cytoplasmic domain is required for internalization. Identified transcript variants arise from mutation at consensus splice sites. [provided by RefSeq]
Other Designations	cadherin 1, E-cadherin (epithelial) cadherin 1, type 1 calcium-dependent adhesion protein, epithelial cell-CAM 120/80 uvomorulin

Pathway

- [Adherens junction](#)
- [Bladder cancer](#)
- [Cell adhesion molecules \(CAMs\)](#)
- [Endometrial cancer](#)
- [Melanoma](#)
- [Pathogenic Escherichia coli infection - EHEC](#)
- [Pathways in cancer](#)
- [Thyroid cancer](#)

Disease

- [Adenocarcinoma](#)
- [Asthma](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Bronchiolitis](#)
- [Carcinoma](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Colitis](#)
- [Colorectal Neoplasms](#)
- [Crohn Disease](#)
- [Disease Progression](#)
- [Esophageal Neoplasms](#)
- [Genetic Predisposition to Disease](#)
- [Glaucoma](#)
- [Head and Neck Neoplasms](#)
- [Helicobacter Infections](#)
- [Hepatitis B](#)
- [Infant](#)
- [Kidney Neoplasms](#)
- [Laryngeal Neoplasms](#)
- [Leiomyoma](#)
- [Liver Neoplasms](#)
- [Low Tension Glaucoma](#)

- [Lung Neoplasms](#)
- [Lymphatic Metastasis](#)
- [Meningeal Neoplasms](#)
- [Meningioma](#)
- [Mouth Neoplasms](#)
- [Nasopharyngeal Neoplasms](#)
- [Neoplasm Invasiveness](#)
- [Neoplasm Metastasis](#)
- [Neoplasm Recurrence](#)
- [Neoplasms](#)
- [Neoplastic Syndromes](#)
- [Obesity](#)
- [Ocular Hypertension](#)
- [Ovarian cancer](#)
- [Ovarian Neoplasms](#)
- [Pancreatic cancer](#)
- [Pancreatic Neoplasms](#)
- [Pharyngeal Neoplasms](#)
- [Prostate cancer](#)
- [Prostatic Hyperplasia](#)
- [Prostatic Neoplasms](#)
- [Pulmonary Disease](#)
- [Respiratory Syncytial Virus Infections](#)
- [Stomach Neoplasms](#)
- [Tooth Abnormalities](#)
- [Ureteral Neoplasms](#)

- [Urinary Bladder Neoplasms](#)
- [Urinary Calculi](#)
- [Urologic Neoplasms](#)
- [Uterine Neoplasms](#)
- [Werner syndrome](#)