


CSE1L monoclonal antibody (M02), clone 1E4


Catalog # H00001434-M02 Size 100 ug

Applications




Western Blot (Cell lysate)

CSE1L monoclonal antibody (M02), clone 1E4 Western Blot analysis of CSE1L expression in K-562 (Cat # L009V1).



Sandwich ELISA (Recombinant protein)


Detection limit for recombinant GST tagged CSE1L is approximately 0.3ng/ml as a capture antibody.



Immunofluorescence

Immunofluorescence of monoclonal antibody to CSE1L on HeLa cell. [antibody concentration 10 ug/ml]





Western Blot detection against Immunogen (36.74 KDa).

Specification	
Product Description	Mouse monoclonal antibody raised against a partial recombinant CSE1L.
Immunogen	CSE1L (NP_001307, 872 a.a. ~ 971 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	LIGLFELPEDDTIPDEEHFIDIEDTPGYQTAFSQLAFAGKKEHDPVGQMVNNPKIHLAQSLHKLSTA CPGRVPSMVSTSLNAEALQYLQGYLQAARVTLL
Host	Mouse
Reactivity	Human
Interspecies Antigen Sequence	Mouse (98); Rat (92)
Isotype	lgG1 kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.74 KDa).
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

Western Blot (Cell lysate)

CSE1L monoclonal antibody (M02), clone 1E4 Western Blot analysis of CSE1L expression in K-562 (Cat # L009V1).

Protocol Download



Western Blot (Recombinant protein)

Protocol Download

Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged CSE1L is approximately 0.3ng/ml as a capture antibody.

Protocol Download

- ELISA
- Immunofluorescence

Immunofluorescence of monoclonal antibody to CSE1L on HeLa cell. [antibody concentration 10 ug/ml]

Gene Info — CSE1L	
Entrez GenelD	1434
GeneBank Accession#	NM_001316
Protein Accession#	NP_001307
Gene Name	CSE1L
Gene Alias	CAS, CSE1, MGC117283, MGC130036, MGC130037, XPO2
Gene Description	CSE1 chromosome segregation 1-like (yeast)
Omim ID	601342
Gene Ontology	<u>Hyperlink</u>
Gene Summary	Proteins that carry a nuclear localization signal (NLS) are transported into the nucleus by the importin-alpha/beta heterodimer. Importin-alpha binds the NLS, while importin-beta mediates translocation through the nuclear pore complex. After translocation, RanGTP binds importin-beta and displaces importin-alpha. Importin-alpha must then be returned to the cytoplasm, leaving the NLS prote in behind. The protein encoded by this gene binds strongly to NLS-free importin-alpha, and this binding is released in the cytoplasm by the combined action of RANBP1 and RANGAP1. In addition, the encoded protein may play a role both in apoptosis and in cell proliferation. [provided by Ref Seq
Other Designations	CSE1 chromosome segregation 1-like protein OTTHUMP0000043373 cellular apoptosis susce ptibility protein chromosome segregation 1-like importin-alpha re-exporter