


DNM2 (Human) Recombinant Protein (Q01)

Catalog # H00001785-Q01 Size 10 ug, 25 ug

Applications



Specification	
Product Description	Human DNM2 partial ORF (AAH54501, 611 a.a 710 a.a.) recombinant protein with GST-tag at N-t erminal.
Sequence	SWKASFLRAGVYPEKDQAENEDGAQENTFSMDPQLERQVETIRNLVDSYVAIINKSIRDLMPKTIM HLMINNTKAFIHHELLAYLYSSADQSSLMEESAD
Host	Wheat Germ (in vitro)
Theoretical MW (kDa)	36.63
Interspecies Antigen Sequence	Mouse (99); Rat (96)
Preparation Method	in vitro wheat germ expression system
Purification	Glutathione Sepharose 4 Fast Flow
Quality Control Testing	12.5% SDS-PAGE Stained with Coomassie Blue.
Storage Buffer	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.
Note	Best use within three months from the date of receipt of this protein.



Applications

- Enzyme-linked Immunoabsorbent Assay
- Western Blot (Recombinant protein)
- Antibody Production
- Protein Array

Gene Info — DNM2	
Entrez GenelD	<u>1785</u>
GeneBank Accession#	BC054501
Protein Accession#	AAH54501
Gene Name	DNM2
Gene Alias	CMTDI1, CMTDIB, DI-CMTB, DYN2, DYNII
Gene Description	dynamin 2
Omim ID	<u>160150</u> <u>602378</u> <u>606482</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	Dynamins represent one of the subfamilies of GTP-binding proteins. These proteins share considerable sequence similarity over the N-terminal portion of the molecule, which contains the GTP as e domain. Dynamins are associated with microtubules. They have been implicated in cell process es such as endocytosis and cell motility, and in alterations of the membrane that accompany certa in activities such as bone resorption by osteoclasts. Dynamins bind many proteins that bind actinand other cytoskeletal proteins. Dynamins can also self-assemble, a process that stimulates GTP ase activity. Four alternatively spliced transcripts encoding different proteins have been described. Additional alternatively spliced transcripts may exist, but their full-length nature has not been determined. [provided by RefSeq
Other Designations	dynamin II

Pathway

Endocytosis



• Fc gamma R-mediated phagocytosis

Disease

- Alzheimer disease
- Anorexia Nervosa
- Bulimia
- Genetic Predisposition to Disease