

## DOCK2 rabbit monoclonal antibody

Catalog # H00001794-K Size 100 ug x up to 3

| Specification           |   |
|-------------------------|---|
| Product Description     | Rabbit monoclonal antibody raised against a human DOCK2 peptide using ARM Technology.   |
| Immunogen               | A synthetic peptide of human DOCK2 is used for rabbit immunization.  Customer or Abnova will decide on the preferred peptide sequence.  |
| Host                    | Rabbit  |
| Library Construction    | Non-fusion antibody library from rabbit spleen ( <u>ARM Technology</u> ).   |
| Expression              | Overexpression vector and transfection into 293H cell line.   |
| Reactivity              | Human   |
| Purification            | Protein A   |
| Isotype                 | lgG   |
| Quality Control Testing | Antibody reactive against human DOCK2 peptide by ELISA and mammalian transfected lysate by W estern Blot.   |
| Storage Buffer          | In 1x PBS, pH 7.4   |
| Storage Instruction     | Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.  |
| Deliverable             | Up to three rabbit lgG clones of 100 ug each will be delivered to customer.   |
| Note                    | <ol> <li>Customer may provide cell or tissue lysate for antibody screening.</li> <li>Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in cluding F(ab)<sub>2</sub>, lgG, scFv and different Fc and non-Fc conjugates per customer request.</li> </ol> |

## **Applications**

Western Blot (Transfected lysate)

Protocol Download



ELISA

| Gene Info — DOCK2   |   |
|---------------------|---|
| Entrez GeneID       | <u>1794</u>   |
| GeneBank Accession# | DOCK2   |
| Gene Name           | DOCK2   |
| Gene Alias          | FLJ46592, KIAA0209  |
| Gene Description    | dedicator of cytokinesis 2  |
| Omim ID             | 603122  |
| Gene Ontology       | <u>Hyperlink</u>  |
| Gene Summary        | The DOCK2 gene encodes a hematopoietic cell-specific CDM family protein that is indispensable for lymphocyte chemotaxis.[supplied by OMIM |
| Other Designations  | dedicator of cyto-kinesis 2   |

## Pathway

- Chemokine signaling pathway
- Fc gamma R-mediated phagocytosis

## Disease

- Cardiovascular Diseases
- Diabetes Mellitus
- Edema
- Tobacco Use Disorder