

# DOK1 rabbit monoclonal antibody

Catalog # H00001796-K

Size 100 ug x up to 3

## Specification

<b>Product Description</b>	Rabbit monoclonal antibody raised against a human DOK1 peptide using ARM Technology.
<b>Immunogen</b>	A synthetic peptide of human DOK1 is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
<b>Host</b>	Rabbit
<b>Library Construction</b>	Non-fusion antibody library from rabbit spleen ( <a href="#">ARM Technology</a> ).
<b>Expression</b>	Overexpression vector and transfection into 293H cell line.
<b>Reactivity</b>	Human
<b>Purification</b>	Protein A
<b>Isotype</b>	IgG
<b>Quality Control Testing</b>	Antibody reactive against human DOK1 peptide by ELISA and mammalian transfected lysate by Western Blot.
<b>Storage Buffer</b>	In 1x PBS, pH 7.4
<b>Storage Instruction</b>	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
<b>Deliverable</b>	Up to three rabbit IgG clones of 100 ug each will be delivered to customer.
<b>Note</b>	1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering including F(ab) <sub>2</sub> , IgG, scFv and different Fc and non-Fc conjugates per customer request.

## Applications

- Western Blot (Transfected lysate)

[Protocol Download](#)

- ELISA

## Gene Info — DOK1

Entrez GeneID	<a href="#">1796</a>
GeneBank Accession#	<a href="#">DOK1</a>
Gene Name	DOK1
Gene Alias	MGC117395, MGC138860, P62DOK
Gene Description	docking protein 1, 62kDa (downstream of tyrosine kinase 1)
Omim ID	<a href="#">602919</a>
Gene Ontology	<a href="#">Hyperlink</a>
Gene Summary	Docking protein 1 is constitutively tyrosine phosphorylated in hematopoietic progenitors isolated from chronic myelogenous leukemia (CML) patients in the chronic phase. It may be a critical substrate for p210(bcr/abl), a chimeric protein whose presence is associated with CML. Docking protein 1 contains a putative pleckstrin homology domain at the amino terminus and ten PXXP SH3 recognition motifs. Docking protein 2 binds p120 (RasGAP) from CML cells. It has been postulated to play a role in mitogenic signaling. [provided by RefSeq]
Other Designations	Downstream of tyrosine kinase 1 docking protein 1 docking protein 1 (downstream of tyrosine kinase 1) docking protein 1, 62kD (downstream of tyrosine kinase 1)

## Disease

- [Genetic Predisposition to Disease](#)
- [Leukemia](#)