ECT2 rabbit monoclonal antibody

Catalog # H00001894-K

ocification

Size 100 ug x up to 3

opecification	
Product Description	Rabbit monoclonal antibody raised against a human ECT2 peptide using ARM Technology.
Immunogen	A synthetic peptide of human ECT2 is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (ARM Technology).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
lsotype	lgG
Quality Control Testing	Antibody reactive against human ECT2 peptide by ELISA and mammalian transfected lysate by Wes tern Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit IgG clones of 100 ug each will be delivered to customer.
Note	 Customer may provide cell or tissue lysate for antibody screening. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in cluding F(ab)₂, IgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

• Western Blot (Transfected lysate)

Protocol Download



• ELISA

Gene Info — ECT2	
Entrez GenelD	<u>1894</u>
GeneBank Accession#	ECT2
Gene Name	ECT2
Gene Alias	FLJ10461, MGC138291
Gene Description	epithelial cell transforming sequence 2 oncogene
Omim ID	<u>600586</u>
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a transforming protein that is related to Rho-specific exchang e factors and yeast cell cycle regulators. The expression of this gene is elevated with the onset of DNA synthesis and remains elevated during G2 and M phases. In situ hybridization analysis show ed that expression is at a high level in cells undergoing mitosis in regenerating liver. Thus, this pro tein is expressed in a cell cycle-dependent manner during liver regeneration, and is thought to hav e an important role in the regulation of cytokinesis. [provided by RefSeq
Other Designations	epithelial cell transforming sequence 2 oncogene protein

Disease

- Genetic Predisposition to Disease
- <u>Obesity</u>
- Ovarian Failure
- Polycystic Ovary Syndrome
- Puberty
- Thrombophilia
- Tobacco Use Disorder