

ENO2 rabbit monoclonal antibody

Catalog # H00002026-K Size 100 ug x up to 3

Specification	
Product Description	Rabbit monoclonal antibody raised against a human ENO2 peptide using ARM Technology.
Immunogen	A synthetic peptide of human ENO2 is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (<u>ARM Technology</u>).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	lgG
Quality Control Testing	Antibody reactive against human ENO2 peptide by ELISA and mammalian transfected lysate by We stern Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit IgG clones of 100 ug each will be delivered to customer.
Note	 Customer may provide cell or tissue lysate for antibody screening. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in cluding F(ab)₂, lgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

Western Blot (Transfected lysate)

Protocol Download



ELISA

Gene Info — ENO2	
Entrez GeneID	2026
GeneBank Accession#	ENO2
Gene Name	ENO2
Gene Alias	NSE
Gene Description	enolase 2 (gamma, neuronal)
Omim ID	131360
Gene Ontology	<u>Hyperlink</u>
Gene Summary	This gene encodes one of the three enclase isoenzymes found in mammals. This isoenzyme, a homodimer, is found in mature neurons and cells of neuronal origin. A switch from alpha enclase to gamma enclase occurs in neural tissue during development in rats and primates. [provided by RefSeq
Other Designations	2-phospho-D-glycerate hydrolyase enolase 2 neural enolase neuron specific gamma enolase neurone-specific enolase

Pathway

- Biosynthesis of alkaloids derived from histidine and purine
- Biosynthesis of alkaloids derived from ornithine
- Biosynthesis of alkaloids derived from shikimate pathway
- Biosynthesis of alkaloids derived from terpenoid and polyketide
- Biosynthesis of phenylpropanoids
- Biosynthesis of plant hormones
- Biosynthesis of terpenoids and steroids
- Glycolysis / Gluconeogenesis
- Metabolic pathways



RNA degradation

Disease

- Alzheimer disease
- Cerebral Amyloid Angiopathy
- Genetic Predisposition to Disease
- Neuroblastoma
- Schizophrenia