


ESRRG 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00002104-T01


Size 100 uL

Applications



SDS-PAGE Gel

ESRRG transfected lysate.



Western Blot

Lane 1: ESRRG transfected lysate (47.96 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line 293T

Plasmid pCMV-ESRRG full-length

Host Human

Theoretical MW (kDa) 47.96

Quality Control Testing Transient overexpression cell lysate was tested with Anti-ESRRG antibody ([H00002104-B01](#)) by Western Blots.
SDS-PAGE Gel
ESRRG transfected lysate.
Western Blot
Lane 1: ESRRG transfected lysate (47.96 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — ESRRG

Entrez GeneID[2104](#)**GeneBank Accession#**[NM_206594.1](#)**Protein Accession#**[NP_996317.1](#)**Gene Name**

ESRRG

Gene Alias

DKFZp781L1617, ERR3, FLJ16023, KIAA0832, NR3B3

Gene Description

estrogen-related receptor gamma

Omim ID[602969](#)**Gene Ontology**[Hyperlink](#)**Other Designations**

OTTHUMP00000035076|OTTHUMP00000035092|OTTHUMP00000035095|OTTHUMP00000035115|OTTHUMP00000035116|OTTHUMP00000035126

Disease

- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Colorectal Neoplasms](#)
- [Diabetes Mellitus](#)
- [Genetic Predisposition to Disease](#)
- [Osteoporosis](#)

- [Overweight](#)
- [Stomach Neoplasms](#)
- [Tobacco Use Disorder](#)