


MaxPab®

EYA2 purified MaxPab rabbit polyclonal antibody (D01P)

Catalog # H00002139-D01P

Size 100 ug

Applications



Western Blot (Transfected lysate)

Western Blot analysis of EYA2 expression in transfected 293T cell line ([H00002139-T01](#)) by EYA2 MaxPab polyclonal antibody.

Lane 1: EYA2 transfected lysate (59.20 kDa).

Lane 2: Non-transfected lysate.

Specification

Product Description	Rabbit polyclonal antibody raised against a full-length human EYA2 protein.
Immunogen	EYA2 (NP_005235.3, 1 a.a. ~ 538 a.a) full-length human protein.
Sequence	MVELVISPSLTVNSDCLDKLFNRADAADVWTLSDRQGITSAPLRVSQLFSSRSCPRVLPQPSTA MAAYGQTQYSAGIQQATPYTAYPPPAQAYGIPSYSIKTEDSLNHSPGQSGFLSYGSSFSTSPGQS PYTYQMHGTTGFYQGGNGLGNAAGFGSVHQDYPSYPGFPQSQYPQYYGSSYNPPYVPASSICPS PLSTSTYVLQEASHNVPNQSSSESLAGEYNTHNGPSTPAKEGDTDRPHRASDGKLRGRSKRSSD PSPAGDNEIERVFVWDLDETHFHSLLTGTFASRYGKDTTTSVRIGLMMEEMIFNLADTHLFFNDLE DCDQIHVDDVSSDDNGQDLSTYNFSADGFHSSAPGANLCLGSGVHGGVDWMRKLAFRYRRVK EMYNTYKNNVGGLIGTPKRETWLQLRAELEALTDLWLTHSLKALNLINSRPNCVNVLVTTTQLIPAL AKVLLYGLGSVFPIENIYSATKTGKESCFERIMQRFGRKAVYVYVIGDGVVEEQGAKKHNMFPWRIS CHADLEALRHAELEYL
Host	Rabbit
Reactivity	Human
Interspecies Antigen Sequence	Mouse (88); Rat (87)
Quality Control Testing	Antibody reactive against mammalian transfected lysate.

Storage Buffer

In 1x PBS, pH 7.4

Storage Instruction

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of EYA2 expression in transfected 293T cell line ([H00002139-T01](#)) by EYA2 MaxPab polyclonal antibody.

Lane 1: EYA2 transfected lysate(59.20 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — EYA2

Entrez GeneID[2139](#)**GeneBank Accession#**[NM_005244.3](#)**Protein Accession#**[NP_005235.3](#)**Gene Name**

EYA2

Gene Alias

EAB1, MGC10614

Gene Description

eyes absent homolog 2 (Drosophila)

Omim ID[601654](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

This gene encodes a member of the eyes absent (EYA) family of proteins. The encoded protein may be post-translationally modified and may play a role in eye development. A similar protein in mice can act as a transcriptional activator. Alternative splicing results in multiple transcript variants, but the full-length nature of all of these variants has not yet been determined. [provided by RefSeq]

Other Designations

OTTHUMP00000031666|eyes absent 2|translation of this uORF probably lowers the translation efficiency of EYA2

Disease

- [Carcinoma](#)

- [Cardiovascular Diseases](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Lung Neoplasms](#)
- [Tobacco Use Disorder](#)