

MaxPab@

# FABP5 purified MaxPab mouse polyclonal antibody (B03P)

Catalog # H00002171-B03P Size 50 ug

## **Applications**



#### Western Blot (Transfected lysate)

Western Blot analysis of FABP5 expression in transfected 293T cell line (<u>H00002171-T05</u>) by FABP5 MaxPab polyclonal antibody.

Lane 1: FABP5 transfected lysate(14.96 KDa).

Lane 2: Non-transfected lysate.

| Specification           |  |
|-------------------------|--|
| Product Description     | Mouse polyclonal antibody raised against a full-length human FABP5 protein.  |
| Immunogen               | FABP5 (AAH19385, 1 a.a. ~ 135 a.a) full-length human protein.  |
| Sequence                | MATVQQLEGRWRLVDSKGFDEYMKELGVGIALRKMGAMAKPDCIITCDGKNLTIKTESTLKTTQFS<br>CTLGEKFEETTADGRITQTVCNFTDGALVQHQEWDGKESTITRKLKDGKLVVECVMNNVTCTRYE<br>KVE |
| Host                    | Mouse  |
| Reactivity              | Human  |
| Quality Control Testing | Antibody reactive against mammalian transfected lysate.  |
| Storage Buffer          | In 1x PBS, pH 7.4  |
| Storage Instruction     | Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.   |

### **Applications**



Western Blot (Transfected lysate)

Western Blot analysis of FABP5 expression in transfected 293T cell line ( $\underline{\text{H00002171-T05}}$ ) by FABP5 MaxPab polyclonal antibody.

Lane 1: FABP5 transfected lysate(14.96 KDa).

Lane 2: Non-transfected lysate.

Protocol Download

| Gene Info — FABP5   |  |
|---------------------|--|
| Entrez GenelD       | <u>2171</u>  |
| GeneBank Accession# | BC019385   |
| Protein Accession#  | AAH19385   |
| Gene Name           | FABP5  |
| Gene Alias          | E-FABP, EFABP, PA-FABP   |
| Gene Description    | fatty acid binding protein 5 (psoriasis-associated)  |
| Omim ID             | 605168   |
| Gene Ontology       | <u>Hyperlink</u>   |
| Gene Summary        | This gene encodes the fatty acid binding protein found in epidermal cells, and was first identified as being upregulated in psoriasis tissue. Fatty acid binding proteins are a family of small, highly c onserved, cytoplasmic proteins that bind long-chain fatty acids and other hydrophobic ligands. It is thought that FABPs roles include fatty acid uptake, transport, and metabolism. The human genom e contains many pseudogenes similar to this locus. [provided by RefSeq |
| Other Designations  | -  |

### Pathway

PPAR signaling pathway

#### Disease

Autistic Disorder



- Bipolar Disorder
- Genetic Predisposition to Disease
- Schizophrenia