

FANCG rabbit monoclonal antibody

Catalog # H00002189-K Size 100 ug x up to 3

Specification

Product Description	Rabbit monoclonal antibody raised against a human FANCG peptide using ARM Technology.
Immunogen	A synthetic peptide of human FANCG is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (ARM Technology).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	IgG
Quality Control Testing	Antibody reactive against human FANCG peptide by ELISA and mammalian transfected lysate by Western Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit IgG clones of 100 ug each will be delivered to customer.
Note	1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering including F(ab) ₂ , IgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

- Western Blot (Transfected lysate)

[Protocol Download](#)

- ELISA

Gene Info — FANCG

Entrez GeneID	2189
GeneBank Accession#	FANCG
Gene Name	FANCG
Gene Alias	FAG, XRCC9
Gene Description	Fanconi anemia, complementation group G
Omim ID	602956
Gene Ontology	Hyperlink
Gene Summary	The Fanconi anemia complementation group (FANC) currently includes FANCA, FANCB, FANCC, FANCD1 (also called BRCA2), FANCD2, FANCE, FANCF, FANCG, FANCI, FANCI (also called BRIP1), FANCL, FANCM and FANCN (also called PALB2). The previously defined group FANCI is the same as FANCA. Fanconi anemia is a genetically heterogeneous recessive disorder characterized by cytogenetic instability, hypersensitivity to DNA crosslinking agents, increased chromosomal breakage, and defective DNA repair. The members of the Fanconi anemia complementation group do not share sequence similarity; they are related by their assembly into a common nuclear protein complex. This gene encodes the protein for complementation group G. [provided by RefSeq]
Other Designations	DNA repair protein XRCC9 OTTHUMP00000021319 X-ray repair complementing defective repair in Chinese hamster cells 9 X-ray repair, complementing defective, in Chinese hamster, 9

Disease

- [Adenocarcinoma](#)
- [Ataxia telangiectasia](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Colorectal Neoplasms](#)

- [Diabetes Mellitus](#)
- [DNA Damage](#)
- [Edema](#)
- [Esophageal Neoplasms](#)
- [Genetic Predisposition to Disease](#)
- [Head and Neck Neoplasms](#)
- [Laryngeal Neoplasms](#)
- [Lung Neoplasms](#)
- [Mouth Neoplasms](#)
- [Neoplasms](#)
- [Ovarian cancer](#)
- [Ovarian Neoplasms](#)
- [Pancreatic Neoplasms](#)
- [Pharyngeal Neoplasms](#)
- [Prostatic Neoplasms](#)
- [Urinary Bladder Neoplasms](#)