


MaxPab®

FCGR3A purified MaxPab rabbit polyclonal antibody (D01P)

Catalog # H00002214-D01P

Size 100 ug

Applications




Western Blot (Transfected lysate)

Western Blot analysis of FCGR3A expression in transfected 293T cell line ([H00002214-T01](#)) by FCGR3A MaxPab polyclonal antibody.

Lane 1: FCGR3A transfected lysate(32.60 KDa).

Lane 2: Non-transfected lysate.



In situ Proximity Ligation Assay (Cell)

Proximity Ligation Analysis of protein-protein interactions between FCGR3A and FCGR1A. HeLa cells were stained with anti-FCGR3A rabbit purified polyclonal 1:1200 and anti-FCGR1A mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex, and nuclei were counterstained with DAPI (blue).

Specification

Product Description

Rabbit polyclonal antibody raised against a full-length human FCGR3A protein.

Immunogen

FCGR3A (AAH36723.1, 1 a.a. ~ 290 a.a) full-length human protein.

Sequence

MGGGAGERLFTSSCLVGLVPLGLRISLVTCPLQCGIMWQLLLPTALLLLVSAGMRTEDLPKAVVFL
EPQWYRVLEKDSVTLKCQGAYSPEDNSTQWFHNESSLSSQASSYFIDAATVDDSGEYRCQTNLS
TLSDPVQLEVHIGWLLLQAPRWVFKEEDPIHLRCHSWKNTALHKVTYLQNGKGRKYFHHNSDFYI
PKATLKDSGSYFCRGLVGSKNVSSSETVNITITQGLAVSTISSFFPPGYQVSFCLVMVLLFAVDTGLY
FSVKTNIRSSSTRDWKDHKFKWRKDPQDK

Host

Rabbit

Reactivity	Human
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of FCGR3A expression in transfected 293T cell line ([H00002214-T01](#)) by FCGR3A MaxPab polyclonal antibody.

Lane 1: FCGR3A transfected lysate(32.60 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

- In situ* Proximity Ligation Assay (Cell)

Proximity Ligation Analysis of protein-protein interactions between FCGR3A and FCGR1A. HeLa cells were stained with anti-FCGR3A rabbit purified polyclonal 1:1200 and anti-FCGR1A mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex, and nuclei were counterstained with DAPI (blue).

Gene Info — FCGR3A

Entrez GeneID	2214
GeneBank Accession#	BC036723.1
Protein Accession#	AAH36723.1
Gene Name	FCGR3A
Gene Alias	CD16, CD16A, FCG3, FCGR3, FCGRIII, FCR-10, FCRIII, FCRIIIA, IGFR3
Gene Description	Fc fragment of IgG, low affinity IIIa, receptor (CD16a)
Omim ID	146740 152700
Gene Ontology	Hyperlink

Gene Summary

This gene encodes a receptor for the Fc portion of immunoglobulin G, and it is involved in the removal of antigen-antibody complexes from the circulation, as well as other antibody-dependent responses. This gene (FCGR3A) is highly similar to another nearby gene (FCGR3B) located on chromosome 1. The receptor encoded by this gene is expressed on natural killer (NK) cells as an integral membrane glycoprotein anchored through a transmembrane peptide, whereas FCGR3B is expressed on polymorphonuclear neutrophils (PMN) where the receptor is anchored through a phosphatidylinositol (PI) linkage. Mutations in this gene have been linked to susceptibility to recurrent viral infections, susceptibility to systemic lupus erythematosus, and alloimmune neonatal neutropenia. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq]

Other Designations

Fc fragment of IgG, low affinity III, receptor for (CD16)|Fc fragment of IgG, low affinity IIIa, receptor for (CD16)|Fc gamma receptor III-A|Fc-gamma RIII-alpha|Fc-gamma RIIIa|Fc-gamma receptor III-2 (CD 16)|Fc-gamma receptor IIIb (CD16)|FcgammaRIIIA|OTTH

Pathway

- [Fc gamma R-mediated phagocytosis](#)
- [Natural killer cell mediated cytotoxicity](#)
- [Systemic lupus erythematosus](#)

Disease

- [Acute Disease](#)
- [Addison Disease](#)
- [Aggressive Periodontitis](#)
- [Agranulocytosis](#)
- [Alveolar Bone Loss](#)
- [Anemia](#)
- [Anti-Glomerular Basement Membrane Disease](#)
- [Arthritis](#)
- [Asthma](#)
- [Atherosclerosis](#)
- [Autoimmune Diseases](#)

- [Behcet Syndrome](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Candidiasis](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Celiac Disease](#)
- [Cell Transformation](#)
- [Cerebrovascular Accident](#)
- [Chronic Disease](#)
- [Chronic Periodontitis](#)
- [Colorectal Neoplasms](#)
- [Coronary Artery Disease](#)
- [Crohn Disease](#)
- [Cryoglobulinemia](#)
- [Cryptococcosis](#)
- [Diabetes Mellitus](#)
- [Disease Models](#)
- [Disease Progression](#)
- [Disease Susceptibility](#)
- [Edema](#)
- [Epilepsy](#)
- [Genetic Predisposition to Disease](#)
- [Glomerulonephritis](#)
- [Guillain-Barre Syndrome](#)
- [Head and Neck Neoplasms](#)

- [Hepatitis C](#)
- [Herpesviridae Infections](#)
- [Immunologic Deficiency Syndromes](#)
- [Infection](#)
- [Inflammation](#)
- [Inflammatory Bowel Diseases](#)
- [Leukemia](#)
- [Lupus Erythematosus](#)
- [Lupus Nephritis](#)
- [Lymphoma](#)
- [Malaria](#)
- [Meningococcal Infections](#)
- [Mucocutaneous Lymph Node Syndrome](#)
- [Multiple Myeloma](#)
- [Multiple Sclerosis](#)
- [Myasthenia Gravis](#)
- [Myositis](#)
- [Nephritis](#)
- [Neuroblastoma](#)
- [Neutropenia](#)
- [Papillomavirus Infections](#)
- [Pemphigoid](#)
- [Periodontal Attachment Loss](#)
- [Periodontal Diseases](#)
- [Periodontal Pocket](#)
- [Periodontitis](#)

- [Pneumonia](#)
- [Poliomyelitis](#)
- [Postpoliomyelitis Syndrome](#)
- [Purpura](#)
- [Recurrence](#)
- [Respiratory Tract Infections](#)
- [Rhinitis](#)
- [Sarcoma](#)
- [Scleroderma](#)
- [Seizures](#)
- [Sepsis](#)
- [Stomach Neoplasms](#)
- [Temporal Arteritis](#)
- [Thrombocytopenia](#)
- [Thymoma](#)
- [Tobacco Use Disorder](#)
- [Tuberculosis](#)
- [Urinary Tract Infections](#)
- [Uterine Cervical Neoplasms](#)
- [Vasculitis](#)
- [Waldenstrom Macroglobulinemia](#)
- [Wegener Granulomatosis](#)