


FDX1 monoclonal antibody (M01), clone 1E7


Catalog # H00002230-M01 Size 100 ug

Applications



Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged FDX1 is 0.03 ng/ml as a capture antibody.



Western Blot detection against Immunogen (36.63 KDa).

| Specification | |
|---------------------|---|
| Product Description | Mouse monoclonal antibody raised against a partial recombinant FDX1. |
| Immunogen | FDX1 (NP_004100.1, 85 a.a. ~ 183 a.a) partial recombinant protein with GST tag. MW of the GST t ag alone is 26 KDa. |
| Sequence | VGDSLLDVVVENNLDIDGFGACEGTLACSTCHLIFEDHIYEKLDAITDEENDMLDLAYGLTDRSRLG CQICLTKSMDNMTVRVPETVADARQSIDVGKT |
| Host | Mouse |
| Reactivity | Human |

😵 Abnova

Product Information

| Interspecies Antigen Sequence | Mouse (90) |
|----------------------------------|--|
| lsotype | lgG2b Kappa |
| Quality Control Testing | Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.63 KDa) . |
| Storage Buffer | In 1x PBS, pH 7.4 |
| Storage Instruction | Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing. |

Applications

- Western Blot (Recombinant protein)
 <u>Protocol Download</u>
- Sandwich ELISA (Recombinant protein)
 Detection limit for recombinant GST tagged FDX1 is 0.03 ng/ml as a capture antibody.
 <u>Protocol Download</u>
- ELISA

Gene Info — FDX1

| Entrez GenelD | 2230 |
|---------------------|---------------------|
| GeneBank Accession# | <u>NM_004109</u> |
| Protein Accession# | <u>NP_004100.1</u> |
| Gene Name | FDX1 |
| Gene Alias | ADX, FDX, LOH11CR1D |
| Gene Description | ferredoxin 1 |
| Omim ID | 103260 |
| Gene Ontology | Hyperlink |



Product Information

Gene Summary

The product of this gene is a small iron-sulfur protein that transfers electrons from NADPH through ferredoxin reductase to a terminal cytochrome P450. This particular oxidation/reduction system is found in steroidogenic tissues, and is involved with the synthesis of bile acid and vitamin D. In add ition to the expressed gene at this chromosomal locus (11q22), there are pseudogenes located o n chromosomes 20 and 21. This gene product has been identified in a number of different tissues but all forms have been shown to be identical and are not tissue specific. [provided by RefSeq

Other Designations

adrenodoxin

Disease

- Genetic Predisposition to Disease
- Lung Neoplasms
- <u>Tobacco Use Disorder</u>