


FGA (Human) Matched Antibody Pair

Catalog # H00002243-AP61 Size 1 Set

Applications



Sandwich ELISA detection sensitivity ranging from approximately 27x to 3x dilution of the FGA 293T overexpression lysate (non-denatured).

Specification

Product Description	This antibody pair set comes with a matched antibody pair to detect and quantify the protein level of human FGA.
Reactivity	Human
Quality Control Testing	Standard curve using FGA 293T overexpression lysate (non-denatured) as an analyte. Sandwich ELISA detection sensitivity ranging from approximately 27x to 3x dilution of the FGA 293T overexpression lysate (non-denatured).
Supplied Product	Antibody pair set content: 1. Capture antibody: mouse monoclonal anti-FGA (100 ug) 2. Detection antibody: rabbit MaxPab® affinity purified polyclonal anti-FGA (50 ug) *Reagents are sufficient for at least 3-5 x 96 well plates using recommended protocols.
Storage Instruction	Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

Applications

- ELISA Pair (Transfected lysate)

[Protocol Download](#)

Gene Info — FGA

Entrez GeneID [2243](#)

Gene Name FGA

Gene Alias Fib2, MGC119422, MGC119423, MGC119425

Gene Description fibrinogen alpha chain

Omim ID [105200](#) [134820](#) [202400](#)

Gene Ontology [Hyperlink](#)

Gene Summary

The protein encoded by this gene is the alpha component of fibrinogen, a blood-borne glycoprotein comprised of three pairs of nonidentical polypeptide chains. Following vascular injury, fibrinogen is cleaved by thrombin to form fibrin which is the most abundant component of blood clots. In addition, various cleavage products of fibrinogen and fibrin regulate cell adhesion and spreading, display vasoconstrictor and chemotactic activities, and are mitogens for several cell types. Mutations in this gene lead to several disorders, including dysfibrinogenemia, hypofibrinogenemia, afibrinogenemia and renal amyloidosis. Alternative splicing results in two isoforms which vary in the carboxy-terminus. [provided by RefSeq]

Other Designations

fibrinogen, A alpha polypeptide|fibrinogen, alpha chain, isoform alpha preproprotein|fibrinogen, alpha polypeptide

Pathway

- [Complement and coagulation cascades](#)

Disease

- [Alzheimer disease](#)
- [Anemia](#)
- [Angina](#)
- [Aortic Diseases](#)
- [Atherosclerosis](#)
- [Brain Ischemia](#)
- [Calcinosis](#)

- [Cardiovascular Diseases](#)
- [Carotid Artery Diseases](#)
- [Carotid Stenosis](#)
- [Cerebral Hemorrhage](#)
- [Cerebral Infarction](#)
- [Cerebrovascular Accident](#)
- [Cerebrovascular Disorders](#)
- [Chronic Disease](#)
- [Coronary Artery Disease](#)
- [Coronary Disease](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Disease Progression](#)
- [Edema](#)
- [Foramen Ovale](#)
- [Genetic Predisposition to Disease](#)
- [Glomerulonephritis](#)
- [Heart Defects](#)
- [Heart Septal Defects](#)
- [Hemophilia A](#)
- [Hemorrhage](#)
- [Hypertension](#)
- [Ischemia](#)
- [Macular Degeneration](#)
- [Metabolic Syndrome X](#)
- [Myocardial Infarction](#)

- [Neoplasms](#)
- [Obesity](#)
- [Osteoporosis](#)
- [Postoperative Complications](#)
- [Pulmonary Embolism](#)
- [Stroke](#)
- [Thromboembolism](#)
- [Thrombosis](#)
- [Vascular Diseases](#)
- [Venous Thrombosis](#)