


FTL monoclonal antibody, clone 4A7

Catalog # H00002512-M14 Size 100 ug

Applications



Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged FTL is approximately 1ng/ml as a capture antibody.

Specification	
Product Description	Mouse monoclonal antibody raised against a full length native FTL.
Immunogen	Native purified human FTL.
Host	Mouse
Reactivity	Human
Form	Liquid
Isotype	lgG1, kappa
Quality Control Testing	Antibody Reactive Against Native Protein
Recommend Usage	The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.



Applications

Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged FTL is approximately 1ng/ml as a capture antibody.

Protocol Download

ELISA

Gene Info — FTL	
Entrez GenelD	2512
Gene Name	FTL
Gene Alias	MGC71996
Gene Description	ferritin, light polypeptide
Omim ID	<u>134790</u> <u>600886</u> <u>606159</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	This gene encodes the light subunit of the ferritin protein. Ferritin is the major intracellular iron stor age protein in prokaryotes and eukaryotes. It is composed of 24 subunits of the heavy and light fer ritin chains. Variation in ferritin subunit composition may affect the rates of iron uptake and releas e in different tissues. A major function of ferritin is the storage of iron in a soluble and nontoxic stat e. Defects in this light chain ferritin gene are associated with several neurodegenerative diseases and hyperferritinemia-cataract syndrome. This gene has multiple pseudogenes. [provided by Ref Seq
Other Designations	L apoferritin ferritin L subunit ferritin L-chain ferritin light chain ferritin light polypeptide-like 3

Disease

- Alzheimer disease
- Cognition
- Genetic Predisposition to Disease
- Huntington disease



- Lung Neoplasms
- Parkinson disease