


MaxPab®

GRIA3 MaxPab mouse polyclonal antibody (B01)

Catalog # H00002892-B01

Size 50 uL

Applications



Western Blot (Transfected lysate)

Western Blot analysis of GRIA3 expression in transfected 293T cell line ([H00002892-T01](#)) by GRIA3 MaxPab polyclonal antibody.

Lane 1: GRIA3 transfected lysate(15.84 KDa).

Lane 2: Non-transfected lysate.

Specification

Product Description	Mouse polyclonal antibody raised against a full-length human GRIA3 protein.
Immunogen	GRIA3 (NP_871623, 1 a.a. ~ 144 a.a) full-length human protein.
Sequence	MARQKKMGQSVLRVFFLVLLGSHGGFPNTISIGGLFMRNTVQEHSFRFAVQLYNTNQNTT EKPFHLNYHVDHLDSSNSFSVTNACPAERDYLWPWGSIRENNWTALPCCCKDHGLLHLKCSPGGA RQNWAYCIMGVTGEL
Host	Mouse
Reactivity	Human
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	No additive
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Note	For IHC and IF applications, antibody purification with Protein A will be needed prior to use.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of GRIA3 expression in transfected 293T cell line ([H00002892-T01](#)) by GRIA3 MaxPab polyclonal antibody.

Lane 1: GRIA3 transfected lysate(15.84 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — GRIA3

Entrez GeneID [2892](#)

GeneBank Accession# [NM_181894](#)

Protein Accession# [NP_871623](#)

Gene Name GRIA3

Gene Alias GLUR-C, GLUR-K3, GLUR3, GLURC, MRX94

Gene Description glutamate receptor, ionotropic, AMPA 3

Omim ID [305915](#)

Gene Ontology [Hyperlink](#)

Gene Summary Glutamate receptors are the predominant excitatory neurotransmitter receptors in the mammalian brain and are activated in a variety of normal neurophysiologic processes. These receptors are heteromeric protein complexes composed of multiple subunits, arranged to form ligand-gated ion channels. The classification of glutamate receptors is based on their activation by different pharmacologic agonists. The subunit encoded by this gene belongs to a family of AMPA (alpha-amino-3-hydroxy-5-methyl-4-isoxazole propionate)-sensitive glutamate receptors, and is subject to RNA editing (AGA->GGA; R->G). Alternative splicing at this locus results in different isoforms, which may vary in their signal transduction properties. [provided by RefSeq]

Other Designations OTTHUMP00000024261|OTTHUMP00000024262|dJ1171F9.1|glutamate receptor 3|glutamate receptor C|glutamate receptor subunit 3

Pathway

- [Long-term depression](#)

- [Neuroactive ligand-receptor interaction](#)

Disease

- [Autistic Disorder](#)
- [Cognition](#)
- [Genetic Predisposition to Disease](#)
- [Mental Disorders](#)
- [Mental Retardation](#)
- [Migraine Disorders](#)
- [Psychotic Disorders](#)
- [Schizophrenia](#)
- [Schizophrenic Psychology](#)
- [Sexual Dysfunction](#)
- [Sexual Dysfunctions](#)
- [Sleep Disorders](#)
- [Weight Gain](#)