


PDIA3 293T Cell Transient Overexpression Lysate(Denatured)


Catalog # H00002923-T01 Size 100 uL

Applications



SDS-PAGE Gel

PDIA3 transfected lysate.



Western Blot

Lane 1: PDIA3 transfected lysate (56.8 KDa)

Lane 2: Non-transfected lysate.

Specification	
Transfected Cell Line	293T
Plasmid	pCMV-PDIA3 full-length
Host	Human
Theoretical MW (kDa)	56.8
Interspecies Antigen Sequence	Mouse (93)



Product Information

Quality Control Testing	Transient overexpression cell lysate was tested with Anti-PDIA3 antibody (H00002923-B01) by West		
	ern Blots. SDS-PAGE Gel PDIA3 transfected lysate.		
			Western Blot
			Lane 1: PDIA3 transfected lysate (56.8 KDa)
	Lane 2: Non-transfected lysate.		
Storage Buffer	1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bro mophenol blue)		
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.		

Applications

Western Blot

Gene Info — PDIA3	
Entrez GenelD	2923
GeneBank Accession#	NM_005313.4
Protein Accession#	=
Gene Name	PDIA3
Gene Alias	ER60, ERp57, ERp60, ERp61, GRP57, GRP58, HsT17083, P58, PI-PLC
Gene Description	protein disulfide isomerase family A, member 3
Omim ID	602046
Gene Ontology	<u>Hyperlink</u>
Gene Summary	This gene encodes a protein of the endoplasmic reticulum that interacts with lectin chaperones ca lreticulin and calnexin to modulate folding of newly synthesized glycoproteins. The protein was once thought to be a phospholipase; however, it has been demonstrated that the protein actually has protein disulfide isomerase activity. It is thought that complexes of lectins and this protein mediate protein folding by promoting formation of disulfide bonds in their glycoprotein substrates. [provided by RefSeq
Other Designations	58 kDa microsomal protein OTTHUMP0000041709 endoplasmic reticulum P58 glucose regulat ed protein, 58kDa phospholipase C-alpha protein disulfide isomerase-associated 3 protein disulfide-isomerase A3



Pathway

• Antigen processing and presentation

Disease

- Genetic Predisposition to Disease
- Prostatic Neoplasms