


MaxPab®

GSTM5 purified MaxPab mouse polyclonal antibody (B01P)

Catalog # H00002949-B01P

Size 50 ug

Applications



Western Blot (Transfected lysate)

Western Blot analysis of GSTM5 expression in transfected 293T cell line ([H00002949-T01](#)) by GSTM5 MaxPab polyclonal antibody.

Lane 1: GSTM5 transfected lysate(25.70 KDa).

Lane 2: Non-transfected lysate.

Specification

Product Description	Mouse polyclonal antibody raised against a full-length human GSTM5 protein.
Immunogen	GSTM5 (NP_000842.2, 1 a.a. ~ 218 a.a) full-length human protein.
Sequence	MPMTLGWDIRGLAHAIRLLLEYTDSSYVEKKYTLGDAPDYDRSQWLNEKFKLGLDFPNLPYLIDG AHKITQSNAILRYARKHNLCGETEEEKIRVDILENQVMDNHMELVRLCYDPDFEKLKPKYLEELPE KLKLYSEFLGKRPWFAGDKITFVDFLAYDVLDMMKRIFEPKCLDAFLNLKDFISRFEGCLKKISAYMKS SQFLRGLLFGKSATWNSK
Host	Mouse
Reactivity	Human
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of GSTM5 expression in transfected 293T cell line ([H00002949-T01](#)) by GSTM5 MaxPab polyclonal antibody.

Lane 1: GSTM5 transfected lysate(25.70 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — GSTM5

Entrez GeneID [2949](#)

GeneBank Accession# [NM_000851.2](#)

Protein Accession# [NP_000842.2](#)

Gene Name GSTM5

Gene Alias GSTM5-5, GTM5

Gene Description glutathione S-transferase mu 5

Omim ID [138385](#)

Gene Ontology [Hyperlink](#)

Gene Summary

Cytosolic and membrane-bound forms of glutathione S-transferase are encoded by two distinct supergene families. At present, eight distinct classes of the soluble cytoplasmic mammalian glutathione S-transferases have been identified: alpha, kappa, mu, omega, pi, sigma, theta and zeta. This gene encodes a glutathione S-transferase that belongs to the mu class. The mu class of enzymes functions in the detoxification of electrophilic compounds, including carcinogens, therapeutic drugs, environmental toxins and products of oxidative stress, by conjugation with glutathione. The genes encoding the mu class of enzymes are organized in a gene cluster on chromosome 1p13.3 and are known to be highly polymorphic. These genetic variations can change an individual's susceptibility to carcinogens and toxins as well as affect the toxicity and efficacy of certain drugs. Diversification of these genes has occurred in regions encoding substrate-binding domains, as well as in tissue expression patterns, to accommodate an increasing number of foreign compounds. [provided by RefSeq]

Other Designations

GST class-mu 5|OTTHUMP00000013359|S-(hydroxyalkyl)glutathione lyase M5|glutathione S-alkyl transferase M5|glutathione S-aryltransferase M5|glutathione S-aryltransferase M5|glutathione S-transferase M5

Pathway

- [Drug metabolism - cytochrome P450](#)
- [Glutathione metabolism](#)
- [Metabolism of xenobiotics by cytochrome P450](#)

Disease

- [Alzheimer disease](#)
- [Breast Neoplasms](#)
- [Cognition](#)
- [Coronary Artery Disease](#)
- [Coronary Disease](#)
- [Genetic Predisposition to Disease](#)
- [Head and Neck Neoplasms](#)
- [Hypertension](#)
- [Lung Neoplasms](#)
- [Neoplasm Recurrence](#)
- [Neoplasms](#)
- [Prenatal Exposure Delayed Effects](#)