


NRG1 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00003084-T03


Size 100 uL

Applications



SDS-PAGE Gel

NRG1 transfected lysate.



Western Blot

Lane 1: NRG1 transfected lysate (26.1 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line 293T

Plasmid pCMV-NRG1 full-length

Host Human

Theoretical MW (kDa) 26.1

Quality Control Testing Transient overexpression cell lysate was tested with Anti-NRG1 antibody ([H00003084-D01P](#)) by Western Blots.
 SDS-PAGE Gel
 NRG1 transfected lysate.
 Western Blot
 Lane 1: NRG1 transfected lysate (26.1 KDa)
 Lane 2: Non-transfected lysate.

Storage Buffer	1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — NRG1

Entrez GeneID	3084
GeneBank Accession#	NM_013958.1
Protein Accession#	NP_039252.1
Gene Name	NRG1
Gene Alias	ARIA, GGF, GGF2, HGL, HRG, HRG1, HRGA, NDF, SMDF
Gene Description	neuregulin 1
Omim ID	142445 603013
Gene Ontology	Hyperlink

Gene Summary	The protein encoded by this gene was originally identified as a 44-kD glycoprotein that interacts with the NEU/ERBB2 receptor tyrosine kinase to increase its phosphorylation on tyrosine residues. This protein is a signaling protein that mediates cell-cell interactions and plays critical roles in the growth and development of multiple organ systems. It is known that an extraordinary variety of different isoforms are produced from this gene through alternative promoter usage and splicing. These isoforms are tissue-specifically expressed and differ significantly in their structure, and therefore these isoforms are classified into types I, II, III, IV, V and VI. The gene dysregulation has been linked to diseases such as cancer, schizophrenia and bipolar disorder (BPD). [provided by RefSeq]
Other Designations	glial growth factor heregulin, alpha (45kD, ERBB2 p185-activator) neu differentiation factor neuregulin 1 isoform HRG-gamma sensory and motor neuron derived factor

Pathway

- [ErbB signaling pathway](#)

Disease

- [Alzheimer disease](#)
- [Amphetamine-Related Disorders](#)
- [Anoxia](#)
- [Asthma](#)
- [Atherosclerosis](#)
- [Atrophy](#)
- [Attention](#)
- [Autistic Disorder](#)
- [Bipolar Disorder](#)
- [Cardiovascular Diseases](#)
- [Carotid Artery Diseases](#)
- [Chronic Disease](#)
- [Cognition](#)
- [Cognition Disorders](#)
- [Depressive Disorder](#)
- [Diabetes Mellitus](#)
- [Dominance](#)
- [Edema](#)
- [Extraversion \(Psychology\)](#)
- [Genetic Predisposition to Disease](#)
- [Hirschsprung Disease](#)
- [Infant](#)
- [Inhibition \(Psychology\)](#)

- [Intelligence Tests](#)
- [Leukomalacia](#)
- [Memory](#)
- [Mental Disorders](#)
- [Mental Recall](#)
- [Mental Retardation](#)
- [Neuropsychological Tests](#)
- [Neurotic Disorders](#)
- [Obstetric Labor Complications](#)
- [Perceptual Disorders](#)
- [Personality Tests](#)
- [Psychiatric Status Rating Scales](#)
- [Psychomotor Performance](#)
- [Psychoses](#)
- [Psychotic Disorders](#)
- [Reaction Time](#)
- [Recurrence](#)
- [Schizophrenia](#)
- [Schizophrenic Psychology](#)
- [Schizotypal Personality Disorder](#)
- [Space Perception](#)
- [Speech Disorders](#)
- [Startle Reaction](#)
- [Stress](#)
- [Task Performance and Analysis](#)
- [Tobacco Use Disorder](#)