


HK1 (Human) IP-WB Antibody Pair

Catalog # H00003098-PW3 Size 1 Set

Applications



Immunoprecipitation of HK1 transfected lysate using rabbit purified polyclonal anti-HK1 and Protein A Magnetic Bead (<u>U0007</u>), and immunoblotted with mouse purified polyclonal anti-HK1.

Specification	
Product Description	This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.
Reactivity	Human
Quality Control Testing	Immunoprecipitation-Western Blot (IP-WB) Immunoprecipitation of HK1 transfected lysate using rabbit purified polyclonal anti-HK1 and Protein A Magnetic Bead (U0007), and immunoblotted with mouse purified polyclonal anti-HK1.
Supplied Product	Antibody pair set content: 1. Antibody pair for IP: rabbit purified polyclonal anti-HK1 (300 ug) 2. Antibody pair for WB: mouse purified polyclonal anti-HK1 (50 ug)
Storage Instruction	Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze tha w cycle. Reagents should be returned to -20°C storage immediately after use.

Applications

Immunoprecipitation-Western Blot

Protocol Download



Gene Info — HK1	
Entrez GenelD	3098
Gene Name	HK1
Gene Alias	HK1-ta, HK1-tb, HK1-tc, HKI, HXK1
Gene Description	hexokinase 1
Omim ID	142600
Gene Ontology	<u>Hyperlink</u>
Gene Summary	Hexokinases phosphorylate glucose to produce glucose-6-phosphate, the first step in most gluco se metabolism pathways. This gene encodes a ubiquitous form of hexokinase which localizes to the outer membrane of mitochondria. Mutations in this gene have been associated with hemolytic anemia due to hexokinase deficiency. Alternative splicing of this gene results in five transcript variants which encode different isoforms, some of which are tissue-specific. Each isoform has a distinct N-terminus; the remainder of the protein is identical among all the isoforms. A sixth transcript variant has been described, but due to the presence of several stop codons, it is not thought to encode a protein. [provided by RefSeq
Other Designations	OTTHUMP00000019725 brain form hexokinase glycolytic enzyme

Pathway

- Amino sugar and nucleotide sugar metabolism
- Biosynthesis of alkaloids derived from histidine and purine
- Biosynthesis of alkaloids derived from ornithine
- Biosynthesis of alkaloids derived from shikimate pathway
- Biosynthesis of alkaloids derived from terpenoid and polyketide
- Biosynthesis of phenylpropanoids
- Biosynthesis of plant hormones
- Biosynthesis of terpenoids and steroids
- Fructose and mannose metabolism
- Galactose metabolism
- Glycolysis / Gluconeogenesis



- Insulin signaling pathway
- Metabolic pathways
- Starch and sucrose metabolism
- Streptomycin biosynthesis
- Type II diabetes mellitus

Disease

- Alzheimer Disease
- Attention Deficit Disorder with Hyperactivity
- Diabetes Mellitus
- Diseases in Twins
- Genetic Predisposition to Disease
- Obesity
- Tobacco Use Disorder